

Publication Date: 16 OCT 2025

Effective Date: 27 NOV 2025

**AIRAC
AIP AMDT**

**13
27 NOV 2025**

AIRAC AIP AMENDMENT 13/25

I. Content

- GEN - record of AIP Supplements updated.
- AD - LROD - AD regulations updated.
 - LRSV - low visibility procedures updated.
 - LRCD - AD regulations updated.
 - LRPW - change of operational hours.
 - LRHR - update of RWY, TWY and APRON strength.
 - LRRCR - new VFR aerodrome BRASOV/Corona.

II. Insert the following new pages and/or charts:

Destroy the following pages and/or charts:

GEN 0.3-1	27 NOV 2025	GEN 0.3-1	30 OCT 2025
GEN 0.3-2	27 NOV 2025	GEN 0.3-2	30 OCT 2025
GEN 0.4-1	27 NOV 2025	GEN 0.4-1	30 OCT 2025
GEN 0.4-2	27 NOV 2025	GEN 0.4-2	30 OCT 2025
GEN 0.4-3	27 NOV 2025	GEN 0.4-3	30 OCT 2025
GEN 0.4-4	27 NOV 2025	GEN 0.4-4	30 OCT 2025
GEN 0.4-5	27 NOV 2025	GEN 0.4-5	30 OCT 2025
GEN 0.4-6	27 NOV 2025	GEN 0.4-6	30 OCT 2025
GEN 0.4-7	27 NOV 2025	GEN 0.4-7	30 OCT 2025
GEN 0.4-8	27 NOV 2025	GEN 0.4-8	30 OCT 2025
GEN 2.2-17	27 NOV 2025	GEN 2.2-17	20 JUN 2019
GEN 3.2-5	27 NOV 2025	GEN 3.2-5	30 OCT 2025
GEN 3.2-9	27 NOV 2025	GEN 3.2-9	30 OCT 2025
AD 0.6-18	27 NOV 2025	AD 0.6-18	04 SEP 2025
AD 0.6-19	27 NOV 2025	AD 0.6-19	04 SEP 2025
AD 0.6-20	27 NOV 2025	AD 0.6-20	04 SEP 2025
AD 1.3-1	27 NOV 2025	AD 1.3-1	03 NOV 2022
AD 1.3-2	27 NOV 2025	AD 1.3-2	04 SEP 2025
AD 1.3-3	27 NOV 2025	AD 1.3-3	04 SEP 2025
AD 1.5-1	27 NOV 2025	AD 1.5-1	02 OCT 2025
AD 1.5-2	27 NOV 2025	AD 1.5-2	04 SEP 2025
AD 2.2-51	27 NOV 2025	AD 2.2-51	30 OCT 2025
AD 2.2-52	27 NOV 2025	AD 2.2-52	30 OCT 2025

-
- II.** **Insert the following new pages**
and/or charts:
- | | | | |
|-------------|-------------|-------------|-------------|
| AD 2.11-9 | 27 NOV 2025 | AD 2.11-9 | 04 SEP 2025 |
| AD 2.11-10 | 27 NOV 2025 | AD 2.11-10 | 04 SEP 2025 |
| AD 2.11-11 | 27 NOV 2025 | AD 2.11-11 | 04 SEP 2025 |
| AD 2.11-22 | 27 NOV 2025 | AD 2.11-22 | 23 JAN 2025 |
| AD 2.12-6 | 27 NOV 2025 | AD 2.12-6 | 30 OCT 2025 |
| AD 2.12-72c | 27 NOV 2025 | AD 2.12-72c | 30 OCT 2025 |
| AD 2.13-2 | 27 NOV 2025 | AD 2.13-2 | 08 AUG 2024 |
| AD 2.14-8 | 27 NOV 2025 | AD 2.14-8 | 23 JAN 2025 |
| AD 2.14-9 | 27 NOV 2025 | AD 2.14-9 | 23 JAN 2025 |
| AD 2.14-10 | 27 NOV 2025 | AD 2.14-10 | 23 JAN 2025 |
| ----- | | AD 2.14-11 | 23 JAN 2025 |
| AD 2.17-12 | 27 NOV 2025 | AD 2.17-12 | 30 OCT 2025 |
| AD 2.18-1 | 27 NOV 2025 | AD 2.18-1 | 15 JUL 2021 |
| AD 2.18-4 | 27 NOV 2025 | AD 2.18-4 | 18 APR 2024 |
| AD 2.18-5 | 27 NOV 2025 | ----- | |
| AD 2.19-1 | 27 NOV 2025 | AD 2.19-1 | 28 DEC 2023 |
| AD 2.19-2 | 27 NOV 2025 | AD 2.19-2 | 28 DEC 2023 |
| AD 2.19-4 | 27 NOV 2025 | AD 2.19-4 | 28 DEC 2023 |
| AD 2.31-2 | 27 NOV 2025 | AD 2.31-2 | 30 NOV 2023 |
| AD 2.31-3 | 27 NOV 2025 | AD 2.31-3 | 30 NOV 2023 |
| AD 2.31-20 | 27 NOV 2025 | AD 2.31-20 | 30 NOV 2023 |
| AD 2.35-1 | 27 NOV 2025 | ----- | |
| AD 2.35-2 | 27 NOV 2025 | ----- | |
| AD 2.35-3 | 27 NOV 2025 | ----- | |
| AD 2.35-4 | 27 NOV 2025 | ----- | |
| AD 2.35-20 | 27 NOV 2025 | ----- | |
| AD 2.35-40 | 27 NOV 2025 | ----- | |
- III.** **Amend RECORD OF AIP AMDT (GEN 0.2) accordingly.**
- IV.** **Information contained in the following NOTAM is incorporated in AIRAC AIP AMDT 13/25:**
A5225/25, A5232/25, A5372/25.

END

GEN 0.3 RECORD OF AIP SUPPLEMENTS

No/Year	Subject	AIP section(s) affected	Period of validity	Cancellation record
1	2	3	4	5
AIRAC 02/18	BUCUREȘTI/Henri Coandă Airport, SID/STAR suspended.	AD 2.5	from: 16 AUG 2018 to: announced by NOTAM or SUP	
AIRAC 01/23	SATU MARE / Satu Mare Airport Local Aerodrome Regulations	AD 2.12	from: 23 FEB 2023 to: announced by NOTAM or SUP	
AIRAC 03/24	BUCUREȘTI FIR - Alexandru Odobescu wind farms under construction	ENR 5.4, AD 2.4, AD 2.5, AD 2.8	from: 28 NOV 2024 to: 30 NOV 2026 EST	
AIRAC 04/24	BUCUREȘTI FIR - Gurbănești wind farm under construction	ENR 5.4, AD 2.4, AD 2.5	from: 28 NOV 2024 to: 30 NOV 2026 EST	
AIRAC 05/24	BUCUREȘTI FIR - Hârlău wind farm under construction	ENR 5.4, AD 2.14	from: 28 NOV 2024 to: 30 NOV 2026 EST	
AIRAC 06/24	BUCUREȘTI FIR - Deleni 1 wind farm and Scobinți wind farm under construction	ENR 5.4, AD 2.10	from: 28 NOV 2024 to: 30 NOV 2026 EST	
AIRAC 08/24	BUCUREȘTI FIR - Casimcea 1 wind farm and Casimcea 2 wind farm under construction	ENR 5.4, AD 2.8	from: 28 NOV 2024 to: 30 NOV 2026 EST	
AIRAC 09/24	BUCUREȘTI FIR - Cerchezu wind farm under construction	ENR 5.4, ENR 6-2, AD 2.8	from: 26 DEC 2024 to: 30 DEC 2026 EST	
AIRAC 10/24	BUCUREȘTI FIR - Cobadin wind farm and Pietreni wind farm under construction	ENR 5.4, AD 2.8	from: 26 DEC 2024 to: 30 NOV 2026 EST	AIRAC AIP SUP 18/25
01/25	CLUJ NAPOCA / Avram Iancu Airport, airport development charge.	GEN 4.1	from: 20 FEB 2025 to: 31 DEC 2028	
AIRAC 02/25	BUCUREȘTI FIR - Beidaud Eolian wind farm under construction	ENR 5.4, AD 2.8	from: 20 MAR 2025 to: 31 DEC 2026 EST	
03/25	BAIA MARE / Maramureș Airport, rescue and fire fighting services	AD 2.3	from: 20 MAR 2025 to: 31 DEC 2027 EST	
AIRAC 03/25	BUCUREȘTI FIR - Dumești and Românești Wind Farms under construction	ENR 5.4, AD 2.10	from: 17 APR 2025 to: 31 DEC 2026 EST	
04/25	BUCUREȘTI / Băneasa-Aurel Vlaicu Airport, temporary changes of charges.	GEN 4.1	from: 17 APR 2025 to: 31 DEC 2027	
AIRAC 07/25	BUCUREȘTI FIR - Schela MTS Wind Farm under construction	ENR 5.4, AD 2.10	from: 12 JUN 2025 to: 30 JUN 2027 EST	
AIRAC 08/25	BUCUREȘTI FIR - Beidaud 2 Wind Farm under construction	ENR 5.4, AD 2.17	from: 12 JUN 2025 to: 30 JUN 2027 EST	
AIRAC 09/25	BUCUREȘTI FIR - Siminoc Wind Farm under construction	ENR 5.4, AD 2.8	from: 10 JUL 2025 to: 31 DEC 2026 EST	
AIRAC 10/25	BUCUREȘTI FIR - Bărăganu Wind Farm under construction.	ENR 5.4, AD 2.8	from: 10 JUL 2025 to: 31 MAY 2027 EST	
AIRAC 12/25	BUCUREȘTI FIR - Cogealac Wind Farm under construction.	ENR 5.4, AD 2.8	from: 10 JUL 2025 to: 30 JUN 2027 EST	

1	2	3	4	5
AIRAC 13/25	BUCUREȘTI FIR - Cilibia 1, Cilibia 2 and Gălbinași Wind Farms under construction.	ENR 5.4, AD 2.4, AD 2.5, AD 2.8	from: 02 OCT 2025 to: 31 DEC 2027 EST	
AIRAC 14/25	BUCUREȘTI FIR - Țândărei Solar wind farm under construction.	ENR 5.4, AD 2.4, AD 2.5, AD 2.8	from: 02 OCT 2025 to: 30 NOV 2026 EST	
AIRAC 15/25	BUCUREȘTI FIR - Chirnogeni Wind Farm under construction.	ENR 5.4, AD 2.8	from: 30 OCT 2025 to: 31 DEC 2027 EST	
AIRAC 16/25	BUCUREȘTI FIR - Rugăria Eolian wind farm under construction.	ENR 5.4, ENR 6-2, AD 2.2	from: 30 OCT 2025 to: 31 DEC 2026 EST	
05/25	IAȘI / Iași Airport, airport development charge.	GEN 4.1	from: 30 OCT 2025 to: 31 DEC 2025	
AIRAC 17/25	BUCUREȘTI FIR - Deleni Wind Farm under construction	ENR 5.4, AD 2.8	from: 27 NOV 2025 to: 31 DEC 2027 EST	
AIRAC 18/25	BUCUREȘTI FIR - Cobadin Wind Farm and Pietreni Wind Farm under construction	ENR 5.4, AD 2.8	from: 27 NOV 2025 to: 30 NOV 2026 EST	

GEN 0.4 CHECKLIST OF AIP PAGES

<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>
PART 1-GENERAL(GEN)		GEN 1.5-2	30 OCT 2025	GEN 2.2-5	02 JUL 2010
GEN 0		GEN 1.5-3	22 MAY 2021	GEN 2.2-6	10 SEP 2020
GEN 0.1-1	15 JUL 2022	GEN 1.6-1	30 NOV 2023	GEN 2.2-7	10 SEP 2020
GEN 0.1-2	15 JUL 2022	GEN 1.6-2	30 NOV 2023	GEN 2.2-8	10 JUN 2004
GEN 0.1-3	15 JUL 2022	GEN 1.6-3	30 NOV 2023	GEN 2.2-9	10 SEP 2020
GEN 0.2-1	29 JAN 1998	GEN 1.6-4	30 NOV 2023	GEN 2.2-10	07 SEP 2023
GEN 0.2-2	29 JAN 1998	GEN 1.6-5	30 NOV 2023	GEN 2.2-11	01 APR 2024
GEN 0.2-3	10 JUN 2004	GEN 1.6-6	30 NOV 2023	GEN 2.2-12	02 JUL 2010
GEN 0.2-4	02 AUG 2007	GEN 1.6-7	15 JUL 2025	GEN 2.2-13	02 JUL 2010
GEN 0.2-5	02 AUG 2007	GEN 1.6-8	15 JUL 2025	GEN 2.2-14	28 MAR 2019
GEN 0.2-6	25 MAR 2012	GEN 1.6-9	15 JUL 2025	GEN 2.2-15	15 JUN 2023
GEN 0.2-7	25 MAR 2012	GEN 1.6-10	15 JUL 2025	GEN 2.2-16	02 JUL 2010
GEN 0.2-8	10 NOV 2016	GEN 1.6-11	15 JUL 2025	GEN 2.2-17	27 NOV 2025
GEN 0.2-9	10 NOV 2016	GEN 1.6-12	15 JUL 2025	GEN 2.2-18	02 JUL 2010
GEN 0.2-10	20 MAY 2021	GEN 1.6-13	15 JUL 2025	GEN 2.2-19	07 SEP 2023
GEN 0.2-11	20 MAY 2021	GEN 1.6-14	15 JUL 2025	GEN 2.2-20	07 SEP 2023
GEN 0.2-12	26 DEC 2024	GEN 1.6-15	15 JUL 2025	GEN 2.2-21	28 JAN 2021
GEN 0.2-13	26 DEC 2024	GEN 1.6-16	15 JUL 2025	GEN 2.2-22	02 JUL 2010
GEN 0.3-1	27 NOV 2025	GEN 1.6-17	15 JUL 2025	GEN 2.2-23	01 APR 2024
GEN 0.3-2	27 NOV 2025	GEN 1.6-18	15 JUL 2025	GEN 2.2-24	15 JUL 2022
GEN 0.4-1	27 NOV 2025	GEN 1.6-19	15 JUL 2025	GEN 2.2-25	09 AUG 2024
GEN 0.4-2	27 NOV 2025	GEN 1.6-20	15 JUL 2025	GEN 2.2-26	01 APR 2024
GEN 0.4-3	27 NOV 2025	GEN 1.6-21	15 JUL 2025	GEN 2.2-27	30 MAR 2017
GEN 0.4-4	27 NOV 2025	GEN 1.6-22	15 JUL 2025	GEN 2.3-1	15 JUN 2023
GEN 0.4-5	27 NOV 2025	GEN 1.6-23	01 NOV 2024	GEN 2.3-2	07 MAY 2009
GEN 0.4-6	27 NOV 2025	GEN 1.6-24	01 NOV 2024	GEN 2.3-3	26 MAR 2020
GEN 0.4-7	27 NOV 2025	GEN 1.7-1	15 JUL 2025	GEN 2.3-4	06 APR 2012
GEN 0.4-8	27 NOV 2025	GEN 1.7-2	15 JUL 2025	GEN 2.3-5	18 NOV 2010
GEN 0.5-1	15 MAY 2025	GEN 1.7-3	30 NOV 2023	GEN 2.4-1	04 SEP 2025
GEN 0.6-1	15 JUL 2022	GEN 1.7-4	15 JUL 2025	GEN 2.4-2	04 SEP 2025
GEN 0.6-2	15 JUL 2022	GEN 1.7-5	15 JUL 2025	GEN 2.5-1	02 OCT 2025
GEN 1		GEN 1.7-6	30 NOV 2023	GEN 2.5-2	23 JAN 2025
GEN 1.1-1	15 MAY 2025	GEN 1.7-7	15 JUL 2025	GEN 2.5-3	20 MAR 2025
GEN 1.1-2	15 MAY 2025	GEN 1.7-8	15 JUL 2025	GEN 2.6-1	29 JAN 1998
GEN 1.2-1	24 MAR 2022	GEN 1.7-9	30 NOV 2023	GEN 2.6-2	29 JAN 1998
GEN 1.2-2	24 MAR 2022	GEN 1.7-10	30 NOV 2023	GEN 2.7-1	04 SEP 2025
GEN 1.2-3	24 MAR 2022	GEN 1.7-11	15 JUL 2025	GEN 2.7-2	07 AUG 2025
GEN 1.2-4	24 MAR 2022	GEN 1.7-12	15 JUL 2025	GEN 2.7-3	07 AUG 2025
GEN 1.2-5	24 MAR 2022	GEN 1.7-13	15 JUL 2025	GEN 2.7-4	07 AUG 2025
GEN 1.2-6	01 DEC 2022	GEN 1.7-14	30 NOV 2023	GEN 2.7-5	07 AUG 2025
GEN 1.2-7	01 DEC 2022	GEN 1.7-15	15 JUL 2025	GEN 2.7-6	07 AUG 2025
GEN 1.2-8	01 DEC 2022	GEN 1.7-16	01 NOV 2024	GEN 2.7-7	07 AUG 2025
GEN 1.2-9	01 DEC 2022	GEN 1.7-17	01 NOV 2024	GEN 2.7-8	07 AUG 2025
GEN 1.2-10	24 MAR 2022	GEN 1.7-18	15 JUL 2025	GEN 2.7-9	07 AUG 2025
GEN 1.2-11	24 MAR 2022	GEN 1.7-19	15 JUL 2025	GEN 2.7-10	07 AUG 2025
GEN 1.2-12	24 MAR 2022	GEN 1.7-20	08 AUG 2024	GEN 2.7-11	07 AUG 2025
GEN 1.2-13	24 MAR 2022	GEN 1.7-21	08 AUG 2024	GEN 2.7-12	07 AUG 2025
GEN 1.2-14	24 MAR 2022	GEN 1.7-22	08 AUG 2024	GEN 2.7-13	07 AUG 2025
GEN 1.2-15	24 MAR 2022	GEN 1.7-23	26 DEC 2024	GEN 2.7-14	07 AUG 2025
GEN 1.3-1	23 JAN 2025	GEN 2		GEN 2.7-15	07 AUG 2025
GEN 1.3-2	23 JAN 2025	GEN 2.1-1	23 MAR 2023	GEN 2.7-16	07 AUG 2025
GEN 1.3-3	15 MAY 2025	GEN 2.1-2	01 JAN 2025	GEN 2.7-17	07 AUG 2025
GEN 1.4-1	15 MAY 2025	GEN 2.2-1	30 MAR 2017	GEN 2.7-18	04 SEP 2025
GEN 1.4-2	15 MAY 2025	GEN 2.2-2	02 JUL 2010	GEN 2.7-19	04 SEP 2025
GEN 1.5-1	22 MAY 2021	GEN 2.2-3	09 AUG 2024	GEN 2.7-20	04 SEP 2025
		GEN 2.2-4	02 JUL 2010		

Page	Date	Page	Date	Page	Date
GEN 3		GEN 4.1-12	08 OCT 2020	ENR 1.9-1	28 APR 2016
GEN 3.1-1	31 OCT 2024	GEN 4.1-13	10 NOV 2016	ENR 1.9-2	28 APR 2016
GEN 3.1-2	31 OCT 2024	GEN 4.1-14	10 JUL 2025	ENR 1.9-3	28 APR 2016
GEN 3.1-3	23 JAN 2025	GEN 4.1-14a	10 JUL 2025	ENR 1.9-4	09 AUG 2024
GEN 3.1-3	23 JAN 2025	GEN 4.1-14b	10 JUL 2025	ENR 1.9-5	15 AUG 2019
GEN 3.1-4	31 OCT 2024	GEN 4.1-15	02 OCT 2025	ENR 1.10-1	16 MAY 2024
GEN 3.1-5	20 MAR 2025	GEN 4.1-15a	02 OCT 2025	ENR 1.10-2	16 MAY 2024
GEN 3.1-6	20 MAR 2025	GEN 4.1-16	05 DEC 2019	ENR 1.10-3	20 MAR 2025
GEN 3.1-7	31 OCT 2024	GEN 4.1-17	22 FEB 2024	ENR 1.10-4	16 MAY 2024
GEN 3.2-1	08 OCT 2020	GEN 4.1-17a	16 JUN 2022	ENR 1.10-5	16 MAY 2024
GEN 3.2-2	08 OCT 2020	GEN 4.1-18	17 APR 2025	ENR 1.10-6	16 MAY 2024
GEN 3.2-3	08 OCT 2020	GEN 4.1-18a	17 APR 2025	ENR 1.10-7	16 MAY 2024
GEN 3.2-4	30 OCT 2025	GEN 4.1-19	02 APR 2015	ENR 1.10-8	16 MAY 2024
GEN 3.2-5	27 NOV 2025	GEN 4.1-20	15 JUL 2021	ENR 1.11-1	20 MAR 2025
GEN 3.2-6	30 OCT 2025	GEN 4.1-21	04 SEP 2025	ENR 1.12-1	17 AUG 2017
GEN 3.2-7	30 OCT 2025	GEN 4.1-22	01 JAN 2025	ENR 1.12-2	17 AUG 2017
GEN 3.2-8	30 OCT 2025	GEN 4.2-1	01 JAN 2025	ENR 1.12-3	17 AUG 2017
GEN 3.2-9	27 NOV 2025	GEN 4.2-2	23 APR 2020	ENR 1.13-1	17 AUG 2017
GEN 3.2-10	07 SEP 2023	GEN 4.2-3	16 JUN 2022	ENR 1.14-1	28 MAR 2019
GEN 3.2-11	12 JUN 2025	GEN 4.2-4	10 SEP 2020	ENR 2	
GEN 3.3-1	20 JUL 2017	GEN 4.2-5	01 JAN 2015	ENR 2.1-1	28 FEB 2019
GEN 3.3-2	15 SEP 2016	GEN 4.2-6	01 JAN 2015	ENR 2.1-2	15 JUL 2021
GEN 3.3-3	15 JUN 2023	GEN 4.2-7	23 APR 2020	ENR 2.1-3	28 FEB 2019
GEN 3.4-1	10 SEP 2020	GEN 4.2-8	01 JAN 2015	ENR 2.1-4	28 FEB 2019
GEN 3.4-2	22 FEB 2024	GEN 4.2-9	20 MAR 2025	ENR 2.1-5	24 FEB 2022
GEN 3.4-3	25 MAR 2021	GEN 4.2-10	01 JAN 2025	ENR 2.1-6	13 JUL 2023
GEN 3.4-4	25 MAR 2021	GEN 4.2-11	10 AUG 2023	ENR 2.1-7	28 FEB 2019
GEN 3.4-5	10 SEP 2020			ENR 2.1-8	28 FEB 2019
GEN 3.5-1	03 NOV 2022	PART 2-EN-ROUTE(ENR)		ENR 2.2-1	15 AUG 1999
GEN 3.5-2	04 SEP 2025	ENR 0		ENR 2.2-2	26 MAR 1999
GEN 3.5-3	15 JUN 2023	ENR 0.6-1	29 JAN 1998	ENR 2.2-3	23 FEB 2023
GEN 3.5-4	15 JUN 2023	ENR 0.6-2	04 SEP 2025		
GEN 3.5-5	16 JUN 2022	ENR 1		ENR 3	
GEN 3.5-6	20 FEB 2025	ENR 1.1-1	30 DEC 2021	ENR 3.1-1	20 APR 2023
GEN 3.6-1	05 OCT 2023	ENR 1.1-2	30 DEC 2021	ENR 3.2-1	30 OCT 2025
GEN 3.6-2	05 OCT 2023	ENR 1.1-3	30 DEC 2021	ENR 3.2-2	20 APR 2023
GEN 3.6-3	05 OCT 2023	ENR 1.2-1	20 MAY 2021	ENR 3.2-3	30 OCT 2025
GEN 4		ENR 1.2-2	17 AUG 2017	ENR 3.2-4	04 SEP 2025
GEN 4.1-1	07 FEB 2013	ENR 1.2-3	24 MAY 2018	ENR 3.2-5	02 OCT 2025
GEN 4.1-2	06 APR 2012	ENR 1.3-1	17 AUG 2017	ENR 3.2-6	28 NOV 2024
GEN 4.1-3	12 JUN 2025	ENR 1.3-2	23 FEB 2023	ENR 3.2-7	02 OCT 2025
GEN 4.1-4	20 MAR 2025	ENR 1.3-3	04 SEP 2025	ENR 3.2-8	18 APR 2024
GEN 4.1-4a	20 MAR 2025	ENR 1.3-4	30 OCT 2025	ENR 3.2-9	18 APR 2024
GEN 4.1-4b	20 MAR 2025	ENR 1.3-5	24 FEB 2022	ENR 3.2-10	02 OCT 2025
GEN 4.1-5	16 JUN 2022	ENR 1.3-6	15 JUL 2021	ENR 3.2-11	04 SEP 2025
GEN 4.1-5a	30 DEC 2021	ENR 1.4-1	15 JUN 2023	ENR 3.2-12	28 DEC 2023
GEN 4.1-6	18 APR 2024	ENR 1.4-2	24 MAY 2018	ENR 3.2-13	20 APR 2023
GEN 4.1-6a	05 OCT 2023	ENR 1.5-1	20 DEC 2007	ENR 3.2-14	02 OCT 2025
GEN 4.1-7	19 APR 2024	ENR 1.5-2	10 NOV 2016	ENR 3.2-15	04 SEP 2025
GEN 4.1-8	01 NOV 2024	ENR 1.6-1	19 APR 2024	ENR 3.2-16	04 SEP 2025
GEN 4.1-8a	01 NOV 2024	ENR 1.6-2	18 APR 2024	ENR 3.2-17	15 JUN 2023
GEN 4.1-8b	01 NOV 2024	ENR 1.6-3	18 APR 2024	ENR 3.2-18	18 APR 2024
GEN 4.1-9	02 OCT 2025	ENR 1.6-4	18 APR 2024	ENR 3.2-19	04 SEP 2025
GEN 4.1-9a	16 JUN 2022	ENR 1.6-5	18 APR 2024	ENR 3.2-20	18 APR 2024
GEN 4.1-10	20 MAR 2025	ENR 1.7-1	17 AUG 2017	ENR 3.2-21	02 OCT 2025
GEN 4.1-10a	20 MAR 2025	ENR 1.7-2	17 AUG 2017	ENR 3.2-22	30 OCT 2025
GEN 4.1-11	15 JUL 2025	ENR 1.8-1	30 OCT 2025	ENR 3.3-1	20 APR 2023
GEN 4.1-11a	30 OCT 2025	ENR 1.8-2	15 NOV 1998	ENR 3.3-2	20 APR 2023
GEN 4.1-11b	30 OCT 2025	ENR 1.8-3	15 NOV 1998	ENR 3.4-1	20 APR 2023
GEN 4.1-11c	30 OCT 2025	ENR 1.8-4	15 FEB 2001	ENR 4	
		ENR 1.8-5	18 SEP 2014	ENR 4.1-1	04 SEP 2025

Page	Date	Page	Date	Page	Date
ENR 4.1-2	20 MAR 2025	ENR 5.4-4	18 MAY 2023	AD 2.1-5	18 MAY 2023
ENR 4.1-3	23 JAN 2025	ENR 5.4-5	07 AUG 2025	AD 2.1-6	07 AUG 2025
ENR 4.2-1	29 JAN 1998	ENR 5.4-6	07 AUG 2025	AD 2.1-7	18 MAY 2023
ENR 4.3-1	15 JUN 2023	ENR 5.5-1	02 JUL 2010	AD 2.1-8	18 MAY 2023
ENR 4.4-1	02 OCT 2025	ENR 5.6-1	30 DEC 2021	AD 2.1-9	30 OCT 2025
ENR 4.4-2	02 OCT 2025	ENR 6		AD 2.1-10	30 OCT 2025
ENR 4.4-3	02 OCT 2025	ENR 6-2	04 SEP 2025	AD 2.1-11	10 JUL 2025
ENR 4.4-4	30 OCT 2025	ENR 6-10	17 APR 2025	AD 2.1-12	10 JUL 2025
ENR 4.4-5	30 OCT 2025	ENR 6-11	17 APR 2025	AD 2.1-13	10 JUL 2025
ENR 4.4-6	02 OCT 2025	ENR 6-20	17 APR 2025	AD 2.1-14	10 AUG 2023
ENR 4.4-7	30 OCT 2025	ENR 6-21	17 APR 2025	AD 2.1-15	10 AUG 2023
ENR 4.4-8	30 OCT 2025	ENR 6-40	28 FEB 2019	AD 2.1-16	03 OCT 2024
ENR 4.4-9	30 OCT 2025	ENR 6-51	29 DEC 2022	AD 2.1-20	03 OCT 2024
ENR 4.4-10	02 OCT 2025	ENR 6-54	25 APR 2019	AD 2.1-20a	03 OCT 2024
ENR 4.5-1	23 OCT 2008	ENR 6-60	15 JUN 2023	AD 2.1-22	03 OCT 2024
ENR 5		ENR 6-70	17 APR 2025	AD 2.1-25	10 SEP 2020
ENR 5.1-1	29 JAN 1998	ENR 6-100	04 SEP 2025	AD 2.1-26	10 SEP 2020
ENR 5.1-2	17 APR 2025	ENR 6-101	23 FEB 2023	AD 2.1-29	05 FEB 2015
ENR 5.1-3	17 APR 2025	PART 3-AERODROMES(AD)		AD 2.1-31	17 APR 2025
ENR 5.1-4	17 APR 2025	AD 0		AD 2.1-32	17 APR 2025
ENR 5.1-5	17 APR 2025	AD 0.6-1	02 JUL 2010	AD 2.1-33	17 APR 2025
ENR 5.1-6	17 APR 2025	AD 0.6-2	02 JUL 2010	AD 2.1-34	17 APR 2025
ENR 5.1-7	17 APR 2025	AD 0.6-3	02 JUL 2010	AD 2.1-35	17 APR 2025
ENR 5.1-8	17 APR 2025	AD 0.6-4	25 FEB 2021	AD 2.1-36	17 APR 2025
ENR 5.1-9	17 APR 2025	AD 0.6-5	08 AUG 2024	AD 2.1-37	17 APR 2025
ENR 5.1-10	17 APR 2025	AD 0.6-6	08 AUG 2024	AD 2.1-38	17 APR 2025
ENR 5.1-11	17 APR 2025	AD 0.6-7	08 AUG 2024	AD 2.1-40	20 APR 2023
ENR 5.1-12	17 APR 2025	AD 0.6-8	08 AUG 2024	AD 2.1-45	17 APR 2025
ENR 5.1-13	17 APR 2025	AD 0.6-9	08 AUG 2024	AD 2.1-46	08 SEP 2022
ENR 5.1-14	17 APR 2025	AD 0.6-10	08 AUG 2024	AD 2.1-53	17 APR 2025
ENR 5.1-15	17 APR 2025	AD 0.6-11	25 FEB 2021	AD 2.1-53a	18 JUL 2019
ENR 5.2-1	17 APR 2025	AD 0.6-12	25 FEB 2021	AD 2.1-54	17 APR 2025
ENR 5.2-2	17 APR 2025	AD 0.6-13	25 FEB 2021	AD 2.1-54a	18 JUL 2019
ENR 5.2-3	17 APR 2025	AD 0.6-14	25 FEB 2021	AD 2.1-81	17 APR 2025
ENR 5.2-4	17 APR 2025	AD 0.6-15	02 NOV 2023	AD 2.1-81a	18 JUL 2019
ENR 5.2-5	17 APR 2025	AD 0.6-16	28 DEC 2023	AD 2.1-83	17 APR 2025
ENR 5.2-6	17 APR 2025	AD 0.6-17	04 SEP 2025	AD 2.1-83a	18 JUL 2019
ENR 5.2-7	17 APR 2025	AD 0.6-18	27 NOV 2025	AD 2.1-84	17 APR 2025
ENR 5.2-8	17 APR 2025	AD 0.6-19	27 NOV 2025	AD 2.1-84a	18 JUL 2019
ENR 5.2-9	17 APR 2025	AD 0.6-20	27 NOV 2025	AD 2.2-1	04 SEP 2025
ENR 5.2-10	17 APR 2025	AD 1		AD 2.2-2	18 MAY 2023
ENR 5.2-11	17 APR 2025	AD 1.1-1	10 JUN 2004	AD 2.2-3	18 MAY 2023
ENR 5.2-12	17 APR 2025	AD 1.1-2	08 APR 2010	AD 2.2-4	18 MAY 2023
ENR 5.2-13	17 APR 2025	AD 1.1-3	08 NOV 2018	AD 2.2-5	18 MAY 2023
ENR 5.2-14	17 APR 2025	AD 1.2-1	02 NOV 2023	AD 2.2-6	02 NOV 2023
ENR 5.2-15	17 APR 2025	AD 1.2-2	02 NOV 2023	AD 2.2-7	18 MAY 2023
ENR 5.2-16	17 APR 2025	AD 1.2-3	02 NOV 2023	AD 2.2-8	04 SEP 2025
ENR 5.2-17	17 APR 2025	AD 1.3-1	27 NOV 2025	AD 2.2-9	04 SEP 2025
ENR 5.2-18	17 APR 2025	AD 1.3-2	27 NOV 2025	AD 2.2-10	30 OCT 2025
ENR 5.2-19	17 APR 2025	AD 1.3-3	27 NOV 2025	AD 2.2-11	30 OCT 2025
ENR 5.2-20	17 APR 2025	AD 1.4-1	29 JAN 1998	AD 2.2-12	30 OCT 2025
ENR 5.2-21	17 APR 2025	AD 1.5-1	27 NOV 2025	AD 2.2-13	30 OCT 2025
ENR 5.2-22	17 APR 2025	AD 1.5-2	27 NOV 2025	AD 2.2-14	30 OCT 2025
ENR 5.2-23	17 APR 2025	AD 1.5-3	13 JUN 2024	AD 2.2-20	04 SEP 2025
ENR 5.2-24	17 APR 2025	AD 2		AD 2.2-20a	25 MAR 2021
ENR 5.2-25	17 APR 2025	AD 2.1-1	30 OCT 2025	AD 2.2-22	04 SEP 2025
ENR 5.3-1	02 JUL 2010	AD 2.1-2	17 APR 2025	AD 2.2-25	04 SEP 2025
ENR 5.4-1	18 MAY 2023	AD 2.1-3	18 MAY 2023	AD 2.2-26	04 SEP 2025
ENR 5.4-2	18 MAY 2023	AD 2.1-4	18 MAY 2023	AD 2.2-28	04 SEP 2025
ENR 5.4-3	18 MAY 2023			AD 2.2-29	04 SEP 2025
				AD 2.2-30	04 SEP 2025

Page	Date	Page	Date	Page	Date
AD 2.2-30a	04 SEP 2025	AD 2.3-91	17 APR 2025	AD 2.5-5	07 SEP 2023
AD 2.2-31	04 SEP 2025	AD 2.3-91a	31 OCT 2024	AD 2.5-6	02 OCT 2025
AD 2.2-31a	04 SEP 2025	AD 2.3-92	17 APR 2025	AD 2.5-7	12 JUN 2025
AD 2.2-46	04 SEP 2025	AD 2.3-92a	31 OCT 2024	AD 2.5-8	02 OCT 2025
AD 2.2-50	30 OCT 2025	AD 2.3-93	17 APR 2025	AD 2.5-9	02 OCT 2025
AD 2.2-50a	30 OCT 2025	AD 2.3-93a	31 OCT 2024	AD 2.5-10	30 OCT 2025
AD 2.2-50b	30 OCT 2025	AD 2.3-94	17 APR 2025	AD 2.5-11	02 OCT 2025
AD 2.2-50c	30 OCT 2025	AD 2.3-94a	31 OCT 2024	AD 2.5-12	02 OCT 2025
AD 2.2-51	27 NOV 2025	AD 2.4-1	20 MAR 2025	AD 2.5-13	02 OCT 2025
AD 2.2-51a	30 OCT 2025	AD 2.4-2	16 MAY 2024	AD 2.5-14	02 OCT 2025
AD 2.2-52	27 NOV 2025	AD 2.4-3	16 MAY 2024	AD 2.5-15	02 OCT 2025
AD 2.2-52a	30 OCT 2025	AD 2.4-4	16 MAY 2024	AD 2.5-16	02 OCT 2025
AD 2.2-53	04 SEP 2025	AD 2.4-5	17 APR 2025	AD 2.5-17	02 OCT 2025
AD 2.2-53a	04 SEP 2025	AD 2.4-6	10 JUL 2025	AD 2.5-20	02 OCT 2025
AD 2.2-54	04 SEP 2025	AD 2.4-7	10 JUL 2025	AD 2.5-20a	03 OCT 2024
AD 2.2-54a	04 SEP 2025	AD 2.4-8	07 AUG 2025	AD 2.5-20b	03 OCT 2024
AD 2.2-71	02 OCT 2025	AD 2.4-9	16 MAY 2024	AD 2.5-20c	02 OCT 2025
AD 2.2-71a	04 SEP 2025	AD 2.4-10	16 MAY 2024	AD 2.5-20d	02 OCT 2025
AD 2.2-71b	04 SEP 2025	AD 2.4-11	16 MAY 2024	AD 2.5-21	30 OCT 2025
AD 2.2-71c	04 SEP 2025	AD 2.4-20	07 SEP 2023	AD 2.5-21a	30 OCT 2025
AD 2.2-72	04 SEP 2025	AD 2.4-20a	21 APR 2022	AD 2.5-21b	02 OCT 2025
AD 2.2-72a	04 SEP 2025	AD 2.4-22	16 MAY 2024	AD 2.5-21c	02 OCT 2025
AD 2.2-72b	04 SEP 2025	AD 2.4-22a	16 MAY 2024	AD 2.5-22	07 SEP 2023
AD 2.2-72c	04 SEP 2025	AD 2.4-25	08 NOV 2018	AD 2.5-22a	26 DEC 2024
AD 2.2-91	04 SEP 2025	AD 2.4-26	08 NOV 2018	AD 2.5-23	30 OCT 2025
AD 2.2-91a	04 SEP 2025	AD 2.4-29	08 APR 2010	AD 2.5-23a	30 OCT 2025
AD 2.2-92	04 SEP 2025	AD 2.4-30	17 APR 2025	AD 2.5-24	31 OCT 2024
AD 2.2-92a	04 SEP 2025	AD 2.4-31	17 APR 2025	AD 2.5-25	13 SEP 2018
AD 2.2-93	04 SEP 2025	AD 2.4-32	17 APR 2025	AD 2.5-26	22 APR 2021
AD 2.2-93a	04 SEP 2025	AD 2.4-33	17 APR 2025	AD 2.5-28	08 DEC 2016
AD 2.2-94	04 SEP 2025	AD 2.4-34	17 APR 2025	AD 2.5-29	22 APR 2021
AD 2.2-94a	04 SEP 2025	AD 2.4-34a	01 JAN 2017	AD 2.5-30	17 APR 2025
AD 2.3-1	30 OCT 2025	AD 2.4-35	17 APR 2025	AD 2.5-31	17 APR 2025
AD 2.3-2	07 SEP 2023	AD 2.4-35a	13 NOV 2014	AD 2.5-32	17 APR 2025
AD 2.3-3	21 MAY 2020	AD 2.4-36	17 APR 2025	AD 2.5-33	17 APR 2025
AD 2.3-4	21 MAY 2020	AD 2.4-36a	07 FEB 2013	AD 2.5-34	17 APR 2025
AD 2.3-5	21 MAY 2020	AD 2.4-37	17 APR 2025	AD 2.5-34a	25 JUN 2015
AD 2.3-6	21 MAY 2020	AD 2.4-37a	01 JAN 2017	AD 2.5-35	17 APR 2025
AD 2.3-7	21 MAY 2020	AD 2.4-40	18 APR 2024	AD 2.5-35a	26 JUN 2014
AD 2.3-8	30 OCT 2025	AD 2.4-41	12 JUN 2025	AD 2.5-36	17 APR 2025
AD 2.3-9	30 OCT 2025	AD 2.4-45	12 JUN 2025	AD 2.5-36a	07 FEB 2013
AD 2.3-10	12 JUN 2025	AD 2.4-51	17 APR 2025	AD 2.5-37	17 APR 2025
AD 2.3-11	18 MAY 2023	AD 2.4-51a	05 APR 2012	AD 2.5-37a	26 JUN 2014
AD 2.3-12	30 OCT 2025	AD 2.4-52	17 APR 2025	AD 2.5-40	12 JUN 2025
AD 2.3-13	30 OCT 2025	AD 2.4-52a	05 APR 2012	AD 2.5-45	12 JUN 2025
AD 2.3-20	10 JUL 2025	AD 2.4-53	17 APR 2025	AD 2.5-51	17 APR 2025
AD 2.3-20a	28 MAR 2019	AD 2.4-53a	05 APR 2012	AD 2.5-51a	05 APR 2012
AD 2.3-22	10 JUL 2025	AD 2.4-54	17 APR 2025	AD 2.5-53	17 APR 2025
AD 2.3-25	31 OCT 2024	AD 2.4-54a	05 APR 2012	AD 2.5-53a	05 APR 2012
AD 2.3-28	03 OCT 2024	AD 2.4-91	17 APR 2025	AD 2.5-55	17 APR 2025
AD 2.3-31	17 APR 2025	AD 2.4-91a	05 APR 2012	AD 2.5-55a	07 FEB 2013
AD 2.3-31a	31 OCT 2024	AD 2.4-92	17 APR 2025	AD 2.5-57	17 APR 2025
AD 2.3-46	31 OCT 2024	AD 2.4-92a	05 APR 2012	AD 2.5-57a	05 APR 2012
AD 2.3-51	17 APR 2025	AD 2.4-93	17 APR 2025	AD 2.5-91	17 APR 2025
AD 2.3-51a	31 OCT 2024	AD 2.4-93a	10 DEC 2015	AD 2.5-91a	05 APR 2012
AD 2.3-52	17 APR 2025	AD 2.4-94	17 APR 2025	AD 2.5-93	17 APR 2025
AD 2.3-52a	31 OCT 2024	AD 2.4-94a	10 DEC 2015	AD 2.5-93a	05 APR 2012
AD 2.3-71	17 APR 2025	AD 2.5-1	20 MAR 2025	AD 2.5-95	17 APR 2025
AD 2.3-71a	31 OCT 2024	AD 2.5-2	02 OCT 2025	AD 2.5-95a	07 FEB 2013
AD 2.3-71b	31 OCT 2024	AD 2.5-3	02 OCT 2025	AD 2.5-97	17 APR 2025
AD 2.3-71c	31 OCT 2024	AD 2.5-4	10 AUG 2023	AD 2.5-97a	05 APR 2012

<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>
AD 2.6-1	25 FEB 2021	AD 2.7-72c	10 NOV 2016	AD 2.9-8	19 APR 2024
AD 2.6-2	25 FEB 2021	AD 2.7-81	15 MAY 2025	AD 2.9-9	18 APR 2024
AD 2.6-3	07 OCT 2021	AD 2.7-81a	15 MAY 2025	AD 2.9-10	08 AUG 2024
AD 2.6-4	18 APR 2024	AD 2.8-1	20 MAR 2025	AD 2.9-11	08 AUG 2024
AD 2.6-20	07 OCT 2021	AD 2.8-2	05 OCT 2023	AD 2.9-12	18 APR 2024
AD 2.6-40	18 APR 2024	AD 2.8-3	05 DEC 2019	AD 2.9-13	18 APR 2024
AD 2.7-1	28 DEC 2023	AD 2.8-4	05 DEC 2019	AD 2.9-14	08 AUG 2024
AD 2.7-2	28 DEC 2023	AD 2.8-5	05 DEC 2019	AD 2.9-20	13 JUN 2024
AD 2.7-3	28 DEC 2023	AD 2.8-6	05 DEC 2019	AD 2.9-20a	18 APR 2024
AD 2.7-4	28 DEC 2023	AD 2.8-7	05 DEC 2019	AD 2.9-22	18 APR 2024
AD 2.7-5	28 DEC 2023	AD 2.8-8	05 DEC 2019	AD 2.9-23	18 APR 2024
AD 2.7-6	28 DEC 2023	AD 2.8-9	05 DEC 2019	AD 2.9-24	18 APR 2024
AD 2.7-7	28 DEC 2023	AD 2.8-10	05 DEC 2019	AD 2.9-25	18 APR 2024
AD 2.7-8	28 DEC 2023	AD 2.8-11	05 DEC 2019	AD 2.9-28	18 APR 2024
AD 2.7-9	28 DEC 2023	AD 2.8-12	05 DEC 2019	AD 2.9-30	17 APR 2025
AD 2.7-10	28 DEC 2023	AD 2.8-13	05 DEC 2019	AD 2.9-30a	20 MAR 2025
AD 2.7-11	10 JUL 2025	AD 2.8-14	05 DEC 2019	AD 2.9-31	17 APR 2025
AD 2.7-12	10 JUL 2025	AD 2.8-15	28 JAN 2021	AD 2.9-31a	20 MAR 2025
AD 2.7-13	28 DEC 2023	AD 2.8-16	21 MAR 2024	AD 2.9-32	17 APR 2025
AD 2.7-14	28 DEC 2023	AD 2.8-17	28 DEC 2023	AD 2.9-32a	08 AUG 2024
AD 2.7-15	28 DEC 2023	AD 2.8-18	02 OCT 2025	AD 2.9-33	17 APR 2025
AD 2.7-16	28 DEC 2023	AD 2.8-19	02 OCT 2025	AD 2.9-33a	08 AUG 2024
AD 2.7-17	28 DEC 2023	AD 2.8-19a	02 OCT 2025	AD 2.9-51	17 APR 2025
AD 2.7-18	28 DEC 2023	AD 2.8-20	03 OCT 2024	AD 2.9-51a	17 APR 2025
AD 2.7-20	28 DEC 2023	AD 2.8-20a	28 DEC 2023	AD 2.9-52	17 APR 2025
AD 2.7-20a	28 DEC 2023	AD 2.8-22	03 OCT 2024	AD 2.9-52a	17 APR 2025
AD 2.7-21	28 DEC 2023	AD 2.8-25	13 JUL 2023	AD 2.9-71	17 APR 2025
AD 2.7-22	28 DEC 2023	AD 2.8-28	02 OCT 2025	AD 2.9-71a	17 APR 2025
AD 2.7-23	28 DEC 2023	AD 2.8-31	17 APR 2025	AD 2.9-71b	08 AUG 2024
AD 2.7-25	09 SEP 2021	AD 2.8-31a	13 JUL 2023	AD 2.9-71c	08 AUG 2024
AD 2.7-26	02 NOV 2023	AD 2.8-32	17 APR 2025	AD 2.9-72	17 APR 2025
AD 2.7-29	13 NOV 2014	AD 2.8-32a	13 JUL 2023	AD 2.9-72a	17 APR 2025
AD 2.7-30	15 MAY 2025	AD 2.8-35	17 APR 2025	AD 2.9-72b	08 AUG 2024
AD 2.7-30a	15 MAY 2025	AD 2.8-35a	13 JUL 2023	AD 2.9-72c	08 AUG 2024
AD 2.7-31	15 MAY 2025	AD 2.8-36	17 APR 2025	AD 2.9-81	17 APR 2025
AD 2.7-31a	15 MAY 2025	AD 2.8-36a	13 JUL 2023	AD 2.9-81a	17 APR 2025
AD 2.7-32	15 MAY 2025	AD 2.8-45	17 APR 2025	AD 2.9-82	17 APR 2025
AD 2.7-32a	10 NOV 2016	AD 2.8-46	23 JAN 2025	AD 2.9-82a	17 APR 2025
AD 2.7-32b	15 MAY 2025	AD 2.8-52	02 OCT 2025	AD 2.9-83	17 APR 2025
AD 2.7-33	15 MAY 2025	AD 2.8-52a	17 APR 2025	AD 2.9-83a	17 APR 2025
AD 2.7-33a	10 NOV 2016	AD 2.8-71	17 APR 2025	AD 2.9-84	17 APR 2025
AD 2.7-33b	15 MAY 2025	AD 2.8-71a	17 APR 2025	AD 2.9-84a	17 APR 2025
AD 2.7-34	15 MAY 2025	AD 2.8-71b	07 SEP 2023	AD 2.10-1	17 APR 2025
AD 2.7-34a	15 MAY 2025	AD 2.8-71c	07 SEP 2023	AD 2.10-2	30 OCT 2025
AD 2.7-35	15 MAY 2025	AD 2.8-71d	07 SEP 2023	AD 2.10-3	30 OCT 2025
AD 2.7-35a	15 MAY 2025	AD 2.8-72	17 APR 2025	AD 2.10-4	31 OCT 2024
AD 2.7-36	15 MAY 2025	AD 2.8-72a	17 APR 2025	AD 2.10-5	31 OCT 2024
AD 2.7-36a	15 MAY 2025	AD 2.8-72b	07 SEP 2023	AD 2.10-6	31 OCT 2024
AD 2.7-37	15 MAY 2025	AD 2.8-72c	16 MAY 2024	AD 2.10-7	31 OCT 2024
AD 2.7-37a	15 MAY 2025	AD 2.8-72d	21 MAR 2024	AD 2.10-8	07 AUG 2025
AD 2.7-45	15 MAY 2025	AD 2.8-81	17 APR 2025	AD 2.10-9	30 OCT 2025
AD 2.7-45a	15 MAY 2025	AD 2.8-81a	17 APR 2025	AD 2.10-10	31 OCT 2024
AD 2.7-52	15 MAY 2025	AD 2.8-82	17 APR 2025	AD 2.10-11	23 JAN 2025
AD 2.7-52a	15 MAY 2025	AD 2.8-82a	17 APR 2025	AD 2.10-12	31 OCT 2024
AD 2.7-71	15 MAY 2025	AD 2.9-1	18 APR 2024	AD 2.10-13	30 OCT 2025
AD 2.7-71a	15 MAY 2025	AD 2.9-2	18 APR 2024	AD 2.10-14	31 OCT 2024
AD 2.7-71b	10 NOV 2016	AD 2.9-3	18 APR 2024	AD 2.10-15	31 OCT 2024
AD 2.7-71c	10 NOV 2016	AD 2.9-4	18 APR 2024	AD 2.10-20	30 OCT 2025
AD 2.7-72	15 MAY 2025	AD 2.9-5	18 APR 2024	AD 2.10-20a	30 OCT 2025
AD 2.7-72a	15 MAY 2025	AD 2.9-6	18 APR 2024	AD 2.10-22	17 APR 2025
AD 2.7-72b	10 NOV 2016	AD 2.9-7	18 APR 2024	AD 2.10-25	31 OCT 2024

Page	Date	Page	Date	Page	Date
AD 2.10-28	31 OCT 2024	AD 2.12-3	17 APR 2025	AD 2.13-36	15 MAY 2025
AD 2.10-30	17 APR 2025	AD 2.12-4	30 OCT 2025	AD 2.13-36a	15 MAY 2025
AD 2.10-30a	31 OCT 2024	AD 2.12-5	30 OCT 2025	AD 2.13-37	15 MAY 2025
AD 2.10-31	17 APR 2025	AD 2.12-6	27 NOV 2025	AD 2.13-37a	15 MAY 2025
AD 2.10-31a	31 OCT 2024	AD 2.12-7	30 OCT 2025	AD 2.13-45	15 MAY 2025
AD 2.10-46	31 OCT 2024	AD 2.12-20	30 OCT 2025	AD 2.13-45a	15 MAY 2025
AD 2.10-51	17 APR 2025	AD 2.12-20a	17 APR 2025	AD 2.13-46	30 NOV 2023
AD 2.10-51a	31 OCT 2024	AD 2.12-22	30 OCT 2025	AD 2.13-51	15 MAY 2025
AD 2.10-52	17 APR 2025	AD 2.12-25	30 OCT 2025	AD 2.13-51a	15 MAY 2025
AD 2.10-52a	31 OCT 2024	AD 2.12-26	30 OCT 2025	AD 2.13-92	15 MAY 2025
AD 2.10-71	17 APR 2025	AD 2.12-28	06 DEC 2018	AD 2.13-92a	15 MAY 2025
AD 2.10-71a	31 OCT 2024	AD 2.12-30	30 OCT 2025	AD 2.14-1	10 JUL 2025
AD 2.10-71b	31 OCT 2024	AD 2.12-30a	30 OCT 2025	AD 2.14-2	08 AUG 2024
AD 2.10-71c	28 NOV 2024	AD 2.12-31	30 OCT 2025	AD 2.14-3	07 AUG 2025
AD 2.10-72	17 APR 2025	AD 2.12-31a	30 OCT 2025	AD 2.14-4	23 JAN 2025
AD 2.10-72a	31 OCT 2024	AD 2.12-51	30 OCT 2025	AD 2.14-5	07 AUG 2025
AD 2.10-72b	31 OCT 2024	AD 2.12-51a	30 OCT 2025	AD 2.14-6	23 JAN 2025
AD 2.10-72c	31 OCT 2024	AD 2.12-52	30 OCT 2025	AD 2.14-7	23 JAN 2025
AD 2.10-91	17 APR 2025	AD 2.12-52a	30 OCT 2025	AD 2.14-8	27 NOV 2025
AD 2.10-91a	31 OCT 2024	AD 2.12-71	30 OCT 2025	AD 2.14-9	27 NOV 2025
AD 2.10-92	17 APR 2025	AD 2.12-71a	30 OCT 2025	AD 2.14-10	27 NOV 2025
AD 2.10-92a	31 OCT 2024	AD 2.12-71b	30 OCT 2025	AD 2.14-20	07 AUG 2025
AD 2.10-93	17 APR 2025	AD 2.12-71c	30 OCT 2025	AD 2.14-22	05 SEP 2024
AD 2.10-93a	31 OCT 2024	AD 2.12-72	30 OCT 2025	AD 2.14-23	05 SEP 2024
AD 2.10-94	17 APR 2025	AD 2.12-72a	30 OCT 2025	AD 2.14-25	07 AUG 2025
AD 2.10-94a	31 OCT 2024	AD 2.12-72b	30 OCT 2025	AD 2.14-29	23 JUN 2016
AD 2.11-1	02 OCT 2025	AD 2.12-72c	27 NOV 2025	AD 2.14-30	17 APR 2025
AD 2.11-2	23 JAN 2025	AD 2.12-81	30 OCT 2025	AD 2.14-30a	15 JUN 2023
AD 2.11-3	04 SEP 2025	AD 2.12-81a	30 OCT 2025	AD 2.14-31	17 APR 2025
AD 2.11-4	13 JUN 2024	AD 2.12-82	30 OCT 2025	AD 2.14-31a	15 JUN 2023
AD 2.11-5	13 JUN 2024	AD 2.12-82a	30 OCT 2025	AD 2.14-51	17 APR 2025
AD 2.11-6	13 JUN 2024	AD 2.12-83	30 OCT 2025	AD 2.14-51a	15 JUN 2023
AD 2.11-7	04 SEP 2025	AD 2.12-83a	30 OCT 2025	AD 2.14-52	17 APR 2025
AD 2.11-8	23 JAN 2025	AD 2.13-1	17 APR 2025	AD 2.14-52a	15 JUN 2023
AD 2.11-9	27 NOV 2025	AD 2.13-2	27 NOV 2025	AD 2.14-71	17 APR 2025
AD 2.11-10	27 NOV 2025	AD 2.13-3	15 AUG 2019	AD 2.14-71a	07 SEP 2023
AD 2.11-11	27 NOV 2025	AD 2.13-4	15 AUG 2019	AD 2.14-71b	02 NOV 2023
AD 2.11-12	04 SEP 2025	AD 2.13-5	15 MAY 2025	AD 2.14-71c	07 SEP 2023
AD 2.11-13	04 SEP 2025	AD 2.13-6	24 MAR 2022	AD 2.14-72	30 OCT 2025
AD 2.11-14	04 SEP 2025	AD 2.13-7	10 JUL 2025	AD 2.14-72a	07 SEP 2023
AD 2.11-15	04 SEP 2025	AD 2.13-8	10 JUL 2025	AD 2.14-72b	07 SEP 2023
AD 2.11-20	04 SEP 2025	AD 2.13-9	10 JUL 2025	AD 2.14-72c	07 SEP 2023
AD 2.11-20a	23 JAN 2025	AD 2.13-10	30 NOV 2023	AD 2.14-81	17 APR 2025
AD 2.11-22	27 NOV 2025	AD 2.13-11	30 NOV 2023	AD 2.14-81a	15 JUN 2023
AD 2.11-23	23 JAN 2025	AD 2.13-20	17 APR 2025	AD 2.14-82	17 APR 2025
AD 2.11-25	13 JUN 2024	AD 2.13-20a	03 DEC 2020	AD 2.14-82a	15 JUN 2023
AD 2.11-26	13 JUN 2024	AD 2.13-22	17 APR 2025	AD 2.14-83	17 APR 2025
AD 2.11-28	04 SEP 2025	AD 2.13-22a	03 APR 2014	AD 2.14-83a	15 JUN 2023
AD 2.11-51	04 SEP 2025	AD 2.13-25	26 APR 2018	AD 2.14-84	17 APR 2025
AD 2.11-51a	04 SEP 2025	AD 2.13-26	05 MAY 2011	AD 2.14-84a	15 JUN 2023
AD 2.11-52	04 SEP 2025	AD 2.13-28	22 JUN 2017	AD 2.15-1	30 OCT 2025
AD 2.11-52a	04 SEP 2025	AD 2.13-30	15 MAY 2025	AD 2.15-2	17 APR 2025
AD 2.11-71	21 MAR 2024	AD 2.13-30a	15 MAY 2025	AD 2.15-3	31 OCT 2024
AD 2.11-71a	21 MAR 2024	AD 2.13-31	15 MAY 2025	AD 2.15-4	31 OCT 2024
AD 2.11-71b	21 MAR 2024	AD 2.13-31a	15 MAY 2025	AD 2.15-5	30 OCT 2025
AD 2.11-91	22 FEB 2024	AD 2.13-33	15 MAY 2025	AD 2.15-6	30 OCT 2025
AD 2.11-91a	04 SEP 2025	AD 2.13-33a	15 MAY 2025	AD 2.15-7	10 JUL 2025
AD 2.11-92	22 FEB 2024	AD 2.13-34	15 MAY 2025	AD 2.15-8	31 OCT 2024
AD 2.11-92a	04 SEP 2025	AD 2.13-34a	15 MAY 2025	AD 2.15-9	31 OCT 2024
AD 2.12-1	30 OCT 2025	AD 2.13-35	15 MAY 2025	AD 2.15-10	04 SEP 2025
AD 2.12-2	17 APR 2025	AD 2.13-35a	15 MAY 2025	AD 2.15-11	04 SEP 2025

<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>
AD 2.15-12	04 SEP 2025	AD 2.16-30	17 APR 2025	AD 2.19-5	08 AUG 2024
AD 2.15-20	31 OCT 2024	AD 2.16-31	17 APR 2025	AD 2.19-20	28 DEC 2023
AD 2.15-20a	31 OCT 2024	AD 2.16-32	17 APR 2025	AD 2.19-21	28 DEC 2023
AD 2.15-22	31 OCT 2024	AD 2.16-33	17 APR 2025	AD 2.19-22	28 DEC 2023
AD 2.15-25	23 MAY 2019	AD 2.16-34	17 APR 2025	AD 2.19-40	18 APR 2024
AD 2.15-26	23 MAY 2019	AD 2.16-35	17 APR 2025	AD 2.19-41	18 APR 2024
AD 2.15-29	07 APR 2011	AD 2.16-36	17 APR 2025	AD 2.20-1	03 NOV 2022
AD 2.15-30	15 MAY 2025	AD 2.16-36a	18 JUL 2019	AD 2.20-2	03 NOV 2022
AD 2.15-30a	15 MAY 2025	AD 2.16-37	17 APR 2025	AD 2.20-3	05 FEB 2015
AD 2.15-31	15 MAY 2025	AD 2.16-37a	18 JUL 2019	AD 2.20-4	18 APR 2024
AD 2.15-31a	15 MAY 2025	AD 2.16-45	17 APR 2025	AD 2.20-20	02 MAR 2017
AD 2.15-32	15 MAY 2025	AD 2.16-51	17 APR 2025	AD 2.20-21	02 MAR 2017
AD 2.15-32a	10 NOV 2016	AD 2.16-51a	18 JUL 2019	AD 2.20-40	18 APR 2024
AD 2.15-32b	15 MAY 2025	AD 2.16-52	17 APR 2025	AD 2.20-41	18 APR 2024
AD 2.15-34	15 MAY 2025	AD 2.16-52a	18 JUL 2019	AD 2.21-1	26 MAR 2020
AD 2.15-34a	15 MAY 2025	AD 2.16-53	17 APR 2025	AD 2.21-2	05 APR 2012
AD 2.15-35	15 MAY 2025	AD 2.16-53a	25 FEB 2021	AD 2.21-3	05 APR 2012
AD 2.15-35a	15 MAY 2025	AD 2.16-54	17 APR 2025	AD 2.21-4	18 APR 2024
AD 2.15-36	15 MAY 2025	AD 2.16-54a	25 FEB 2021	AD 2.21-20	19 JUL 2018
AD 2.15-36a	10 NOV 2016	AD 2.16-91	17 APR 2025	AD 2.21-40	16 MAY 2024
AD 2.15-36b	15 MAY 2025	AD 2.16-91a	18 JUL 2019	AD 2.23-1	15 DEC 2019
AD 2.15-37	15 MAY 2025	AD 2.16-92	17 APR 2025	AD 2.23-2	04 FEB 2016
AD 2.15-37a	10 NOV 2016	AD 2.16-92a	18 JUL 2019	AD 2.23-3	23 JUL 2015
AD 2.15-37b	15 MAY 2025	AD 2.16-93	17 APR 2025	AD 2.23-4	18 APR 2024
AD 2.15-45	15 MAY 2025	AD 2.16-93a	25 FEB 2021	AD 2.23-20	31 JAN 2019
AD 2.15-45a	15 MAY 2025	AD 2.16-94	17 APR 2025	AD 2.23-40	18 APR 2024
AD 2.15-46	10 AUG 2023	AD 2.16-94a	25 FEB 2021	AD 2.23-41	18 APR 2024
AD 2.15-51	15 MAY 2025	AD 2.17-1	30 OCT 2025	AD 2.24-1	27 FEB 2020
AD 2.15-51a	15 MAY 2025	AD 2.17-2	03 OCT 2024	AD 2.24-2	30 MAR 2017
AD 2.15-52	15 MAY 2025	AD 2.17-3	03 OCT 2024	AD 2.24-3	30 MAR 2017
AD 2.15-52a	15 MAY 2025	AD 2.17-4	03 OCT 2024	AD 2.24-4	18 APR 2024
AD 2.15-91	15 MAY 2025	AD 2.17-5	03 OCT 2024	AD 2.24-20	19 JUL 2018
AD 2.15-91a	15 MAY 2025	AD 2.17-6	03 OCT 2024	AD 2.24-40	18 APR 2024
AD 2.15-92	15 MAY 2025	AD 2.17-7	03 OCT 2024	AD 2.25-1	16 AUG 2018
AD 2.15-92a	15 MAY 2025	AD 2.17-8	03 OCT 2024	AD 2.25-2	16 AUG 2018
AD 2.15-93	15 MAY 2025	AD 2.17-9	03 OCT 2024	AD 2.25-3	16 AUG 2018
AD 2.15-93a	15 MAY 2025	AD 2.17-10	03 OCT 2024	AD 2.25-4	18 APR 2024
AD 2.15-94	15 MAY 2025	AD 2.17-11	03 OCT 2024	AD 2.25-20	16 AUG 2018
AD 2.15-94a	15 MAY 2025	AD 2.17-12	27 NOV 2025	AD 2.25-40	18 APR 2024
AD 2.16-1	07 AUG 2025	AD 2.17-13	28 JAN 2021	AD 2.26-1	25 MAR 2021
AD 2.16-2	07 AUG 2025	AD 2.17-20	03 OCT 2024	AD 2.26-2	16 AUG 2018
AD 2.16-3	18 JUL 2019	AD 2.17-20a	03 OCT 2024	AD 2.26-3	11 JUL 2024
AD 2.16-4	18 JUL 2019	AD 2.17-21	03 OCT 2024	AD 2.26-4	18 APR 2024
AD 2.16-5	18 JUL 2019	AD 2.17-22	03 OCT 2024	AD 2.26-20	11 JUL 2024
AD 2.16-6	05 OCT 2023	AD 2.17-25	03 OCT 2024	AD 2.26-40	18 APR 2024
AD 2.16-7	07 AUG 2025	AD 2.17-26	03 OCT 2024	AD 2.27-1	21 MAY 2020
AD 2.16-8	10 JUL 2025	AD 2.17-51	17 APR 2025	AD 2.27-2	21 MAY 2020
AD 2.16-9	07 AUG 2025	AD 2.17-51a	17 NOV 2011	AD 2.27-3	21 MAY 2020
AD 2.16-10	07 AUG 2025	AD 2.17-81	17 APR 2025	AD 2.27-4	18 APR 2024
AD 2.16-11	07 AUG 2025	AD 2.17-81a	05 DEC 2019	AD 2.27-20	21 MAY 2020
AD 2.16-12	07 AUG 2025	AD 2.18-1	27 NOV 2025	AD 2.27-40	18 APR 2024
AD 2.16-13	07 AUG 2025	AD 2.18-2	15 JUL 2021	AD 2.28-1	25 JAN 2024
AD 2.16-14	07 AUG 2025	AD 2.18-3	15 JUL 2021	AD 2.28-2	10 AUG 2023
AD 2.16-15	30 NOV 2023	AD 2.18-4	27 NOV 2025	AD 2.28-3	22 FEB 2024
AD 2.16-20	07 AUG 2025	AD 2.18-5	27 NOV 2025	AD 2.28-4	10 AUG 2023
AD 2.16-20a	07 AUG 2025	AD 2.18-20	15 JUL 2021	AD 2.28-5	10 AUG 2023
AD 2.16-22	08 AUG 2024	AD 2.18-40	18 APR 2024	AD 2.28-20	25 JAN 2024
AD 2.16-25	27 FEB 2020	AD 2.19-1	27 NOV 2025	AD 2.28-40	25 JAN 2024
AD 2.16-26	27 FEB 2020	AD 2.19-2	27 NOV 2025	AD 2.29-1	31 OCT 2024
AD 2.16-28	18 JUL 2019	AD 2.19-3	28 DEC 2023	AD 2.29-2	03 OCT 2024
AD 2.16-29	18 JUL 2019	AD 2.19-4	27 NOV 2025	AD 2.29-3	15 JUN 2023

Page	Date	Page	Date	Page	Date
AD 2.29-4	15 JUN 2023	AD 2.31-20	27 NOV 2025		
AD 2.29-5	15 JUN 2023	AD 2.31-40	18 APR 2024		
AD 2.29-6	15 JUN 2023	AD 2.32-1	28 DEC 2023		
AD 2.29-7	15 JUN 2023	AD 2.32-2	28 DEC 2023		
AD 2.29-8	20 MAR 2025	AD 2.32-3	28 DEC 2023		
AD 2.29-9	20 FEB 2025	AD 2.32-4	10 JUL 2025		
AD 2.29-10	17 APR 2025	AD 2.32-5	08 AUG 2024		
AD 2.29-11	15 JUN 2023	AD 2.32-20	28 DEC 2023		
AD 2.29-12	20 MAR 2025	AD 2.32-40	18 APR 2024		
AD 2.29-13	02 OCT 2025	AD 2.33-1	07 AUG 2025		
AD 2.29-20	20 FEB 2025	AD 2.33-2	07 AUG 2025		
AD 2.29-20a	20 FEB 2025	AD 2.33-3	04 SEP 2025		
AD 2.29-22	20 FEB 2025	AD 2.33-4	07 AUG 2025		
AD 2.29-25	15 JUN 2023	AD 2.33-5	07 AUG 2025		
AD 2.29-26	15 JUN 2023	AD 2.33-20	07 AUG 2025		
AD 2.29-28	15 JUN 2023	AD 2.33-40	07 AUG 2025		
AD 2.29-30	17 APR 2025	AD 2.34-1	04 SEP 2025		
AD 2.29-30a	15 JUN 2023	AD 2.34-2	04 SEP 2025		
AD 2.29-31	17 APR 2025	AD 2.34-3	04 SEP 2025		
AD 2.29-31a	15 JUN 2023	AD 2.34-4	04 SEP 2025		
AD 2.29-32	17 APR 2025	AD 2.34-20	04 SEP 2025		
AD 2.29-32a	15 JUN 2023	AD 2.34-40	04 SEP 2025		
AD 2.29-33	17 APR 2025	AD 2.35-1	27 NOV 2025		
AD 2.29-33a	15 JUN 2023	AD 2.35-2	27 NOV 2025		
AD 2.29-34	17 APR 2025	AD 2.35-3	27 NOV 2025		
AD 2.29-34a	15 JUN 2023	AD 2.35-4	27 NOV 2025		
AD 2.29-35	17 APR 2025	AD 2.35-20	27 NOV 2025		
AD 2.29-35a	15 JUN 2023	AD 2.35-40	27 NOV 2025		
AD 2.29-52	17 APR 2025	AD 3			
AD 2.29-52a	15 JUN 2023	AD 3.2-1	22 APR 2021		
AD 2.29-71	30 OCT 2025	AD 3.2-2	22 APR 2021		
AD 2.29-71a	02 OCT 2025	AD 3.2-3	13 JUL 2023		
AD 2.29-71b	02 OCT 2025	AD 3.2-4	18 APR 2024		
AD 2.29-71c	02 OCT 2025	AD 3.2-20	22 APR 2021		
AD 2.29-72	02 OCT 2025	AD 3.2-40	18 APR 2024		
AD 2.29-72a	02 OCT 2025	AD 3.5-1	10 JUL 2025		
AD 2.29-72b	02 OCT 2025	AD 3.5-2	11 AUG 2022		
AD 2.29-73	02 OCT 2025	AD 3.5-3	25 JAN 2024		
AD 2.29-73a	02 OCT 2025	AD 3.5-4	10 JUL 2025		
AD 2.29-73b	02 OCT 2025	AD 3.5-20	25 JAN 2024		
AD 2.29-76	02 OCT 2025	AD 3.6-1	07 AUG 2025		
AD 2.29-76a	15 JUN 2023	AD 3.6-2	07 AUG 2025		
AD 2.29-76b	02 OCT 2025	AD 3.6-3	07 AUG 2025		
AD 2.29-76c	02 OCT 2025	AD 3.6-4	07 AUG 2025		
AD 2.29-84	17 APR 2025	AD 3.6-20	07 AUG 2025		
AD 2.29-84a	15 JUN 2023	AD 3.7-1	13 AUG 2020		
AD 2.30-1	02 NOV 2023	AD 3.7-2	13 AUG 2020		
AD 2.30-2	02 NOV 2023	AD 3.7-3	03 NOV 2022		
AD 2.30-3	02 NOV 2023	AD 3.7-4	13 AUG 2020		
AD 2.30-4	02 NOV 2023	AD 3.7-20	03 NOV 2022		
AD 2.30-5	02 NOV 2023	AD 3.7-40	18 APR 2024		
AD 2.30-6	02 NOV 2023	AD 3.7-40a	18 APR 2024		
AD 2.30-7	02 NOV 2023	AD 3.8-1	25 MAR 2021		
AD 2.30-8	08 AUG 2024	AD 3.8-2	25 MAR 2021		
AD 2.30-20	02 NOV 2023	AD 3.8-3	25 MAR 2021		
AD 2.30-40	02 NOV 2023	AD 3.8-4	25 MAR 2021		
AD 2.31-1	30 NOV 2023	AD 3.8-20	25 MAR 2021		
AD 2.31-2	27 NOV 2025				
AD 2.31-3	27 NOV 2025				
AD 2.31-4	30 NOV 2023				
AD 2.31-5	08 AUG 2024				

OCT	Octombrie	OCT	October
OFZ	Zonă liberă de obstacole	OFZ	Obstacle free zone
OHD	Deasupra	OHD	Overhead
OM	Marker exterior	OM	Outer marker
OPA	Opac, givraj opac (ghiață albă)	OPA	Opaque, white type of ice formation
OPC	Control operațional	OPC	Operational control
OPMET ⁺	Informații meteorologice operaționale	OPMET ⁺	Operational meteorological (information)
OPN	Deschideți, deschidere sau deschis	OPN	Open, opening or opened
OPR	Operator, operați, operativ, operează sau operațional	OPR	Operator, operate, operative, operating or operational
OPS ⁺	Operațiuni	OPS ⁺	Operations
O/R	La cerere	O/R	On request
ORD	Comandă	ORD	Order
OSV	Navă stație oceanică	OSV	Ocean station vessel
OTP	Deasupra norilor	OTP	On top
OTS	Sistem de urmărire organizat	OTS	Organized track system
OUBD	Direcție exterioară/de îndepărtare	OUBD	Outbound
OVC	Total acoperit	OVC	Overcast

- P -

P...	Zonă interzisă (urmată de identificare)	P...	Prohibited area (followed by identification)
PALS	Sistem iluminare apropiere de precizie	PALS	Precision approach lighting system
PANS	Proceduri pentru serviciile de navigație aeriană	PANS	Procedures for air navigation services
PAPI ⁺	Indicator pantă apropiere de precizie	PAPI ⁺	Precision approach path indicator
PAR ⁺⁺	Radare de apropiere de precizie	PAR ⁺⁺	Precision approach radar
PARL	Paralel	PARL	Parallel
PAX	Pasageri	PAX	Passenger(s)
PCD	Procedați sau procedând	PCD	Proceed or proceeding
PCN	Numărul de clasificare a pavajului	PCN	Pavement classification number
PCR	Rating de clasificare a pavajului	PCR	Pavement classification rating
PDG	Gradientul nominal al procedurii	PDG	Procedure design gradient
PL	Granule de gheață	PL	Ice pellets
PER	Performanță	PER	Performance
PERM	Permanent	PERM	Permanent
PJE	Exerciții de parașutism	PJE	Parachute jumping exercise
PLA	Efectuați o apropiere la joasă înălțime	PLA	Practice low approach
PLN	Plan de zbor	PLN	Flight plan
PLVL	Nivelul actual	PLVL	Present level

PN	Preaviz necesar	PN	Prior notice required
PNR	Punct de neîntoarcere	PNR	Point of no return
PO	Turbioane de praf/nisip	PO	Dust/sand whirls (dust devils)
POB	Persoane la bord	POB	Persons on board
POSS	Posibil	POSS	Possible
PPI	Indicator de observare circulară	PPI	Plan position indicator
PPR	Autorizare prealabilă necesară	PPR	Prior permission required
PPSN	Poziția actuală	PPSN	Present position
PRFG	Aeroport acoperit parțial de ceață	PRFG	Aerodrome partially covered by fog
PRI	Primar	PRI	Primary
PRKG	Parcare	PRKG	Parking
PROB ⁺	Probabilitate	PROB ⁺	Probability
PROC	Procedură	PROC	Procedure
PROV	Provizoriu	PROV	Provisional
PS	Plus	PS	Plus
PSG	Trecere	PSG	Passing
PSN	Poziție	PSN	Position
PSP	Placă de oțel perforată	PSP	Pierced steel plank
PTN	Viraj în procedură	PTN	Procedure turn
PTS	Structură de rută polară	PTS	Polar track structure
PWR	Putere	PWR	Power

- Q -

QDM ⁺⁺	Cap magnetic (vînt zero)	QDM ⁺⁺	Magnetic heading (zero wind)
QDR	Relevment magnetic	QDR	Magnetic bearing
QFE ⁺⁺	Presiune atmosferică raportată la cota aerodromului (sau la pragul pistei)	QFE ⁺⁺	Atmospheric pressure at aerodrome elevation (or at runway threshold)
QFU	Orientarea magnetică a pistei	QFU	Magnetic orientation of runway
QNH ⁺⁺	Calarea altimetrului pentru obținerea cotei când aeronava este la sol	QNH ⁺⁺	Altimeter sub-scale setting to obtain elevation when on the ground
QTE	Relevment adevărat	QTE	True bearing
QUAD	Sector	QUAD	Quadrant

- R -

R	RVR (distanța vizuală în lungul pistei în cod meteorologic)	R	RVR (Runway Visual Range in meteorological code)
R	Roșu	R	Red
R...	Zonă de restricții (urmată de identificare)	R...	Restricted area (followed by identification)

5. List of aeronautical charts available Lista hărților aeronautice produse

Those charts series marked by an asterisk form part of the AIP.

Title of series	Scale	Name and/or number	Price (EUR)	
1	2	3	4	
Instrument Approach Chart - ICAO* (IAC)		ARAD/Arad		
	1:500 000	LRAR ILS RWY 27 A/B		
	1:500 000	LRAR ILS RWY 27 C/D		
	1:500 000	LRAR VOR RWY 09		
	1:500 000	LRAR VOR RWY 27 A/B		
	1:500 000	LRAR VOR RWY 27 C/D		
			BACĂU/George Enescu	
	1:500 000	LRBC ILS X RWY 16		
	1:500 000	LRBC ILS Z RWY 16		
	1:500 000	LRBC ILS Y RWY 16		
	1:500 000	LRBC ILS Z RWY 34		
	1:500 000	LRBC ILS Y RWY 34		
	1:500 000	LRBC RNP RWY 16		
	1:500 000	LRBC RNP RWY 34		
	1:500 000	LRBC NDB Z RWY 16		
	1:500 000	LRBC NDB Y RWY 16		
	1:500 000	LRBC NDB Z RWY 34		
	1:500 000	LRBC NDB Y RWY 34		
			BAIA MARE/Maramureș	
	1:500 000	LRBM ILS Y RWY 09 A, B		
	1:500 000	LRBM ILS Z RWY 09 C, D		
	1:500 000	LRBM RNP RWY 09		
	1:500 000	LRBM NDB W RWY 09 A, B		
	1:500 000	LRBM NDB X RWY 09 C, D		
	1:500 000	LRBM NDB Y RWY 09 A, B		
	1:500 000	LRBM NDB Z RWY 09 C, D		
			BRAȘOV/Brașov-Ghimbav	
	1:500 000	LRBV ILS RWY 21		
	1:500 000	LRBV RNP Z RWY 03		
	1:500 000	LRBV RNP X RWY 21		
	1:500 000	LRBV RNP Y RWY 21		
	1:500 000	LRBV RNP Z RWY 21		
			BUCUREȘTI/Băneasa-Aurel Vlaicu	
	1:500 000	LRBS ILS RWY 07 A/B		
	1:500 000	LRBS ILS RWY 07 C/D		
	1:500 000	LRBS ILS RWY 25 A/B		
	1:500 000	LRBS ILS RWY 25 C/D		
	1:500 000	LRBS NDB RWY 07 A/B		
	1:500 000	LRBS NDB RWY 07 C/D		
	1:500 000	LRBS NDB RWY 25 A/B		
	1:500 000	LRBS NDB RWY 25 C/D		
			BUCUREȘTI/Henri Coandă	
	1:500 000	LROP ILS RWY 08R		
	1:500 000	LROP ILS RWY 08L		
	1:500 000	LROP ILS RWY 26R		
	1:500 000	LROP ILS RWY 26L		
	1:500 000	LROP NDB RWY 08R		
	1:500 000	LROP NDB RWY 08L		
	1:500 000	LROP NDB RWY 26R		
	1:500 000	LROP NDB RWY 26L		
		CLUJ-NAPOCA/Avram Iancu		
1:500 000	LRCL ILS RWY 25			
1:500 000	LRCL RNAV (GNSS) RWY 07			
1:500 000	LRCL RNAV (GNSS) RWY 25			
1:500 000	LRCL VOR RWY 07			
		CONSTANȚA/Mihail Kogălniceanu - Constanța		
1:500 000	LRCK ILS RWY 36			
1:500 000	LRCK RNP RWY 18			
1:500 000	LRCK RNP RWY 36			
1:500 000	LRCK VOR RWY 18			
1:500 000	LRCK VOR RWY 36			
		CRAIOVA/Craiova		
1:500 000	LRCV ILS Z RWY 26			
1:500 000	LRCV ILS Y RWY 26			
1:500 000	LRCV RNP RWY 08			
1:500 000	LRCV RNP RWY 26			
1:500 000	LRCV VOR Z RWY 26			
1:500 000	LRCV VOR Y RWY 26			
1:500 000	LRCV VOR Z RWY 08			
1:500 000	LRCV VOR Y RWY 08			

1	2	3	4	
Instrument Approach Chart - ICAO* (IAC)		IAȘI/Iași		
	1:500 000	LRIA ILS Z RWY 14		
	1:500 000	LRIA ILS Y RWY 14		
	1:500 000	LRIA RNP RWY 14		
	1:500 000	LRIA RNP RWY 32		
	1:500 000	LRIA NDB Z RWY 14		
	1:500 000	LRIA NDB Y RWY 14		
	1:500 000	LRIA NDB Z RWY 32		
	1:500 000	LRIA NDB Y RWY 32		
			ORADEA/Oradea	
	1:500 000	LROD ILS Y RWY 19		
	1:500 000	LROD ILS Z RWY 19		
	1:500 000	LROD RNP RWY 19		
	1:500 000	LROD NDB Y RWY 19 A/B		
	1:500 000	LROD NDB Z RWY 19 C/D		
			SATU MARE/Satu Mare	
	1:500 000	LRSM ILS Y RWY 19 A/B		
	1:500 000	LRSM ILS Z RWY 19 C/D		
	1:500 000	LRSM RNP RWY 19		
	1:500 000	LRSM RNP RWY 01		
	1:500 000	LRSM VOR Y RWY 19 A/B		
	1:500 000	LRSM VOR Z RWY 19 C/D		
	1:500 000	LRSM VOR RWY 01		
			SIBIU/Sibiu	
	1:500 000	LRSB ILS RWY 27		
	1:500 000	LRSB NDB RWY 09		
			SUCEAVA/Ștefan Cel Mare-Suceava	
	1:500 000	LRSV ILS or LOC Z RWY 34		
	1:500 000	LRSV ILS or LOC Y RWY 34		
	1:500 000	LRSV RNP RWY 16		
	1:500 000	LRSV RNP RWY 34		
	1:500 000	LRSV VOR Z RWY 16		
	1:500 000	LRSV VOR Y RWY 16		
	1:500 000	LRSV VOR Z RWY 34		
	1:500 000	LRSV VOR Y RWY 34		
			TÂRGU MUREȘ/Transilvania-Târgu Mureș	
	1:500 000	LRTM ILS RWY 07 A/B		
	1:500 000	LRTM ILS RWY 07 C/D		
	1:500 000	LRTM NDB RWY 07 A/B		
	1:500 000	LRTM NDB RWY 07 C/D		
	1:500 000	LRTM NDB RWY 25 A/B		
	1:500 000	LRTM NDB RWY 25 C/D		
			TIMIȘOARA/Tarian Vuia	
	1:500 000	LRTR ILS RWY 11 A, B		
	1:500 000	LRTR ILS RWY 11 C, D		
	1:500 000	LRTR ILS RWY 29 A, B		
	1:500 000	LRTR ILS RWY 29 C, D		
	1:500 000	LRTR NDB RWY 11 A, B		
	1:500 000	LRTR NDB RWY 11 C, D		
	1:500 000	LRTR NDB RWY 29 A, B		
	1:500 000	LRTR NDB RWY 29 C, D		
			TULCEA/Delta Dunării	
	1:500 000	LRTC ILS RWY 34		
	1:500 000	LRTC VOR RWY 34		
	Instrument Approach Chart* (IAC)	1:500 000	BRAȘOV/Brașov-Ghimbav LRBV RNP RWY 03 Contingency	
	Aerodrome Chart - ICAO* (AC)	1:7 000	ARAD/Arad	
		1:20 000	ARAD/Charlie-Bravo Șiria	
		1:15 000	BACĂU/George Enescu	
		1:5 000	BAIA MARE/Maramureș	
		1:20 000	BISTRIȚA/Bistrița	
		1:5 000	BRAȘOV/Brașov-Ghimbav	
		1:4 000	BRAȘOV/Sânpetru	
			BRAȘOV/Corona	
			BUCUREȘTI/Băneasa-Aurel Vlaicu	
			BUCUREȘTI/Henri Coandă	
		1:10 000	CARANSEBEȘ/Banat-Caransebeș	
		1:5 000	CISNĂDIE/Măgura	
		1:6 000	CLINCENI/Clinceni	
		1:15 000	CLUJ NAPOCA/Avram Iancu	
1:20 000		CONSTANȚA/Mihail Kogălniceanu-Constanța		
		CRAIOVA/Craiova		
1:5 000		CRAIOVA/Craiova-Sud		
1:10 000		DEVA/Săulești-Constantin Manolache		
1:5 000		DEZMIR/Dezmir		
1:8 000		GHEORGHENI/Remetea		

1	2	3	4
RNAV Arrival Chart*		CLUJ NAPOCA/Avram Iancu LRCL RWY 07 LRCL RWY 25 SIBIU/Sibiu LRSB RWY 09 LRSB RWY 27 TÂRGU MUREŞ/Transilvania-Târgu Mureş LRTM RWY 07 LRTM RWY 25 TIMIŞOARA/Traian Vuia LRTR RWY 11 LRTR RWY 29	
Standard Departure Chart - Instrument - ICAO* (SID)		ARAD/Arad LRAR RWY 09 LRAR RWY 27 BACĂU/George Enescu 1:500 000 LRBC RWY 16 1:500 000 LRBC RWY 34 BAIA MARE/Maramureş 1:500 000 LRBM RWY 27 BRAŞOV/Braşov-Ghimbav 1:500 000 LRBV RWY 21 1:500 000 LRBV RWY 03 BUCUREŞTI/Băneasa-Aurel Vlaicu LRBS RWY 07 LRBS RWY 25 BUCUREŞTI/Henri Coandă LROP RWYs 08L/R LROP RWYs 26L/R CLUJ-NAPOCA/Avram Iancu LRCL RWY 07/25 CONSTANŢA/Mihail Kogălniceanu - Constanţa LRCK RWY 18 LRCK RWY 36 CRAIOVA/Craiova 1:500 000 LRCV RWY 26 1:500 000 LRCV RWY 08 IAŞI/Iaşi 1:500 000 LRIA RWY 14 1:500 000 LRIA RWY 32 SATU MARE/Satu Mare 1:500 000 LRSM RWY 19 1:500 000 LRSM RWY 01 SIBIU/Sibiu LRSB RWY 09 LRSB RWY 27 SUCEAVA/Ştefan Cel Mare-Suceava 1:500 000 LRSV RWY 16 1:500 000 LRSV RWY 34 TÂRGU MUREŞ/Transilvania - Târgu Mureş LRTM RWY 07 LRTM RWY 25 TIMIŞOARA/Traian Vuia-Timişoara LRTR RWY 11 LRTR RWY 29	
Standard Arrival Chart - Instrument - ICAO* (STAR)		ARAD/Arad LRAR RWY 09 LRAR RWY 27 BUCUREŞTI/Băneasa-Aurel Vlaicu LRBS RWY 07 LRBS RWY 25 BUCUREŞTI/Henri Coandă LROP RWYs 08L/R LROP RWYs 26L/R CLUJ-NAPOCA/Avram Iancu LRCL RWY 07 LRCL RWY 25 CONSTANŢA/Mihail Kogălniceanu - Constanţa LRCK RWY 18 LRCK RWY 36 SIBIU/Sibiu LRSB RWY 27 TÂRGU MUREŞ/Transilvania - Târgu Mureş LRTM RWY 07/25 TIMIŞOARA/Traian Vuia - Timişoara LRTR RWY 11 LRTR RWY 29	

1	2	3	4
ATC Surveillance Minimum Altitude Chart - ICAO*		ARAD/Arad BUCUREȘTI/Băneasa-Aurel Vlaicu BUCUREȘTI/Henri Coandă CLUJ-NAPOCA/Avram Iancu CONSTANȚA/Mihail Kogălniceanu - Constanța SIBIU/Sibiu TÂRGU MUREȘ/Transilvania - Târgu Mureș TIMIȘOARA/Traian Vuia - Timișoara	
En-route Charts * / Area Charts * - ICAO	1:1 000 000	ENROUTE CHART - LOWER AIRSPACE Free Route Airspace Lateral and Vertical Limits of SEE FRA - BUCUREȘTI CTA within SEE FRA	10 10
		ARAD TMA Lateral and vertical limits BUCUREȘTI TMA Lateral and vertical limits NAPOC TMA Lateral and vertical limits Flight Information Service (FIS) Areas	
Index Charts *		Prohibited, Restricted and Danger Areas - Upper Airspace Temporary Reserved Areas (TRA) Upper Airspace Prohibited, Restricted and Danger Areas - Lower Airspace Temporary Reserved/Segregated Areas (TRA/TSA) Lower Airspace Aerodromes and heliports - index chart	
VFR Chart - ICAO 1:500.000	1:500 000	VFR Chart North-West ROMANIA (LR-NW) VFR Chart North-East ROMANIA (LR-NE) VFR Chart South-East ROMANIA (LR-SE) VFR Chart South-West ROMANIA (LR-SW)	5 5 5 5
VFR Chart - ICAO 1:300.000 *	1:300 000	NAPOC TMA VFR Routes	5
Visual Operations Chart*		ARAD/Arad LRAR Aerodrome traffic circuit BUCUREȘTI/Băneasa-Aurel Vlaicu LRBS RWY 07/25 Aerodrome traffic circuit - Aircraft categories A and H LRBS VFR Routes - Aircraft categories A and H BUCUREȘTI/Henri Coandă LROP Aircraft categories A and H CARANSEBEȘ/Banat-Caransebeș LRCS RWY 10/28 Aerodrome traffic circuit CISNĂDIE/Măgura LRCD RWY 14/32 Aerodrome traffic circuit PLOIEȘTI/Gheorghe Valentin Bibescu-Ploiești LRPW RWY 07/25 Aerodrome traffic circuit LRPW Heliport traffic circuit 09/27 TUZLA/Tuzla LRTZ RWY 04/22 Aerodrome traffic circuit LRTZ RWY 16/34 Aerodrome traffic circuit BRAȘOV/Sânpetru LRSP RWY 12/30 Aerodrome traffic circuit PITEȘTI/Geamăna LRPT RWY 05 Powered aircraft aerodrome traffic circuit LRPT RWY 23 Glider aerodrome traffic circuit DEVA/Săulești-Constantin Manolache LRDV RWY 12/30 Aerodrome traffic circuit ARAD/Charlie-Bravo Șiria LRCB RWY 18/36 Aerodrome traffic circuit BISTRIȚA/Bistrița LRBN RWY 05/23 Aerodrome traffic circuit GRĂDIȘTEA/Grădiștea LRBA RWY 04/22 Aerodrome traffic circuit CLINCENI/Clinceni LRCN Aerodrome traffic circuit DEZMIR/Dezmir LRCJ RWY 08/26 Aerodrome traffic circuit GHEORGHENI/Remetea LRHR RWY 09/27 Aerodrome traffic circuit CRAIOVA/Craiova-Sud LRCW RWY 12/30 Aerodrome traffic circuit IAȘI/Iași-Sud LRIS RWY 13/31 Aerodrome traffic circuit GHIMBAV/IAR BRAȘOV ORADEA/SMURD BH 2 TÂRGU MUREȘ/Mureșeni LRMS RWY 05/23 Aerodrome traffic circuit BRAȘOV/Corona LRCR RWY 17/35 Aerodrome traffic circuit	

LRIS	AD 2.1	Aerodrome location indicator and name	AD 2.33-1
LRIS	AD 2.2	Aerodrome geographical and administrative data	AD 2.33-1
LRIS	AD 2.3	Operational hours.....	AD 2.33-1
LRIS	AD 2.4	Handling services and facilities	AD 2.33-1
LRIS	AD 2.5	Passenger facilities	AD 2.33-1
LRIS	AD 2.6	Rescue and fire fighting services	AD 2.33-1
LRIS	AD 2.7	Runway surface condition assesment and reporting, and snow plan.....	AD 2.33-1
LRIS	AD 2.8	Aprons, taxiways and check locations data	AD 2.33-2
LRIS	AD 2.9	Surface movement guidance and control system and markings	AD 2.33-2
LRIS	AD 2.10	Aerodrome obstacles	AD 2.33-2
LRIS	AD 2.11	Meteorological information provided	AD 2.33-2
LRIS	AD 2.12	Runway physical characteristics	AD 2.33-3
LRIS	AD 2.13	Declared distances.....	AD 2.33-3
LRIS	AD 2.14	Approach and runway lighting.....	AD 2.33-3
LRIS	AD 2.15	Other lighting, secondary power supply.....	AD 2.33-3
LRIS	AD 2.16	Helicopter landing area	AD 2.33-3
LRIS	AD 2.17	ATS airspace.....	AD 2.33-4
LRIS	AD 2.18	ATS communications facilities	AD 2.33-4
LRIS	AD 2.19	Radio navigation and landing aids	AD 2.33-4
LRIS	AD 2.20	Local aerodrome regulations.....	AD 2.33-4
LRIS	AD 2.21	Noise abatement procedures	AD 2.33-4
LRIS	AD 2.22	Flight procedures.....	AD 2.33-4
LRIS	AD 2.23	Additional information.....	AD 2.33-4
LRIS	AD 2.24	Charts related to the aerodrome	AD 2.33-5
LRIS	AD 2.25	Visual segment surface (VSS) penetration	AD 2.33-5

LRMS	AD 2.1	Aerodrome location indicator and name	AD 2.34-1
LRMS	AD 2.2	Aerodrome geographical and administrative data	AD 2.34-1
LRMS	AD 2.3	Operational hours.....	AD 2.34-1
LRMS	AD 2.4	Handling services and facilities	AD 2.34-1
LRMS	AD 2.5	Passenger facilities	AD 2.34-1
LRMS	AD 2.6	Rescue and fire fighting services	AD 2.34-1
LRMS	AD 2.7	Runway surface condition assesment and reporting, and snow plan.....	AD 2.34-1
LRMS	AD 2.8	Aprons, taxiways and check locations data	AD 2.34-2
LRMS	AD 2.9	Surface movement guidance and control system and markings	AD 2.34-2
LRMS	AD 2.10	Aerodrome obstacles	AD 2.34-2
LRMS	AD 2.11	Meteorological information provided	AD 2.34-2
LRMS	AD 2.12	Runway physical characteristics	AD 2.34-3
LRMS	AD 2.13	Declared distances.....	AD 2.34-3
LRMS	AD 2.14	Approach and runway lighting.....	AD 2.34-3
LRMS	AD 2.15	Other lighting, secondary power supply.....	AD 2.34-3
LRMS	AD 2.16	Helicopter landing area	AD 2.34-3
LRMS	AD 2.17	ATS airspace.....	AD 2.34-4
LRMS	AD 2.18	ATS communications facilities	AD 2.34-4
LRMS	AD 2.19	Radio navigation and landing aids	AD 2.34-4
LRMS	AD 2.20	Local aerodrome regulations.....	AD 2.34-4
LRMS	AD 2.21	Noise abatement procedures	AD 2.34-4
LRMS	AD 2.22	Flight procedures.....	AD 2.34-4
LRMS	AD 2.23	Additional information.....	AD 2.34-4
LRMS	AD 2.24	Charts related to the aerodrome	AD 2.34-4
LRMS	AD 2.25	Visual segment surface (VSS) penetration	AD 2.34-4

LRCR	AD 2.1	Aerodrome location indicator and name	AD 2.35-1
LRCR	AD 2.2	Aerodrome geographical and administrative data	AD 2.35-1
LRCR	AD 2.3	Operational hours	AD 2.35-1
LRCR	AD 2.4	Handling services and facilities	AD 2.35-1
LRCR	AD 2.5	Passenger facilities	AD 2.35-1
LRCR	AD 2.6	Rescue and fire fighting services	AD 2.35-1
LRCR	AD 2.7	Runway surface condition assesment and reporting, and snow plan	AD 2.35-1
LRCR	AD 2.8	Aprons, taxiways and check locations data	AD 2.35-2
LRCR	AD 2.9	Surface movement guidance and control system and markings	AD 2.35-2
LRCR	AD 2.10	Aerodrome obstacles	AD 2.35-2
LRCR	AD 2.11	Meteorological information provided	AD 2.35-2
LRCR	AD 2.12	Runway physical characteristics	AD 2.35-3
LRCR	AD 2.13	Declared distances	AD 2.35-3
LRCR	AD 2.14	Approach and runway lighting	AD 2.35-3
LRCR	AD 2.15	Other lighting, secondary power supply	AD 2.35-3
LRCR	AD 2.16	Helicopter landing area	AD 2.35-3
LRCR	AD 2.17	ATS airspace	AD 2.35-4
LRCR	AD 2.18	ATS communications facilities	AD 2.35-4
LRCR	AD 2.19	Radio navigation and landing aids	AD 2.35-4
LRCR	AD 2.20	Local aerodrome regulations	AD 2.35-4
LRCR	AD 2.21	Noise abatement procedures	AD 2.35-4
LRCR	AD 2.22	Flight procedures	AD 2.35-4
LRCR	AD 2.23	Additional information	AD 2.35-4
LRCR	AD 2.24	Charts related to the aerodrome	AD 2.35-4
LRCR	AD 2.25	Visual segment surface (VSS) penetration	AD 2.35-4

AD 3. HELIPORTS

LRBG	AD 3.1	Heliport location indicator and name	AD 3.2-1
LRBG	AD 3.2	Heliport geographical and administrative data	AD 3.2-1
LRBG	AD 3.3	Operational hours	AD 3.2-1
LRBG	AD 3.4	Handling services and facilities	AD 3.2-1
LRBG	AD 3.5	Passenger facilities	AD 3.2-1
LRBG	AD 3.6	Rescue and fire fighting services	AD 3.2-2
LRBG	AD 3.7	Seasonal availability - clearing	AD 3.2-2
LRBG	AD 3.8	Aprons, taxiways and check locations data	AD 3.2-2
LRBG	AD 3.9	Markings and markers	AD 3.2-2
LRBG	AD 3.10	Heliport obstacles	AD 3.2-2
LRBG	AD 3.11	Meteorological information provided	AD 3.2-2
LRBG	AD 3.12	Heliport data	AD 3.2-3
LRBG	AD 3.13	Declared distances	AD 3.2-3
LRBG	AD 3.14	Approach and FATO lighting	AD 3.2-3
LRBG	AD 3.15	Other lighting, secondary power supply	AD 3.2-3
LRBG	AD 3.16	ATS airspace	AD 3.2-3
LRBG	AD 3.17	ATS communication facilities	AD 3.2-4
LRBG	AD 3.18	Radio navigation and landing aids	AD 3.2-4
LRBG	AD 3.19	Local heliport regulations	AD 3.2-4
LRBG	AD 3.20	Noise abatement procedures	AD 3.2-4
LRBG	AD 3.21	Flight procedures	AD 3.2-4
LRBG	AD 3.22	Additional information	AD 3.2-4
LRBG	AD 3.23	Charts related to the heliport	AD 3.2-4

LRMC	AD 3.1	Heliport location indicator and name	AD 3.5-1
LRMC	AD 3.2	Heliport geographical and administrative data	AD 3.5-1
LRMC	AD 3.3	Operational hours.....	AD 3.5-1
LRMC	AD 3.4	Handling services and facilities	AD 3.5-1
LRMC	AD 3.5	Passenger facilities	AD 3.5-1
LRMC	AD 3.6	Rescue and fire fighting services	AD 3.5-1
LRMC	AD 3.7	Seasonal availability - clearing.....	AD 3.5-2
LRMC	AD 3.8	Aprons, taxiways and check locations data	AD 3.5-2
LRMC	AD 3.9	Markings and markers	AD 3.5-2
LRMC	AD 3.10	Heliport obstacles.....	AD 3.5-2
LRMC	AD 3.11	Meteorological information provided	AD 3.5-2
LRMC	AD 3.12	Heliport data	AD 3.5-3
LRMC	AD 3.13	Declared distances	AD 3.5-3
LRMC	AD 3.14	Approach and FATO lighting.....	AD 3.5-3
LRMC	AD 3.15	Other lighting, secondary power supply.....	AD 3.5-3
LRMC	AD 3.16	ATS airspace.....	AD 3.5-3
LRMC	AD 3.17	ATS communication facilities	AD 3.5-4
LRMC	AD 3.18	Radio navigation and landing aids.....	AD 3.5-4
LRMC	AD 3.19	Local heliport regulations	AD 3.5-4
LRMC	AD 3.20	Noise abatement procedures	AD 3.5-4
LRMC	AD 3.21	Flight procedures	AD 3.5-4
LRMC	AD 3.22	Additional information.....	AD 3.5-4
LRMC	AD 3.23	Charts related to the heliport.....	AD 3.5-4

LRMA	AD 3.1	Heliport location indicator and name.....	AD 3.6-1
LRMA	AD 3.2	Heliport geographical and administrative data	AD 3.6-1
LRMA	AD 3.3	Operational hours.....	AD 3.6-1
LRMA	AD 3.4	Handling services and facilities	AD 3.6-1
LRMA	AD 3.5	Passenger facilities	AD 3.6-1
LRMA	AD 3.6	Rescue and fire fighting services	AD 3.6-2
LRMA	AD 3.7	Seasonal availability - clearing.....	AD 3.6-2
LRMA	AD 3.8	Aprons, taxiways and check locations data	AD 3.6-2
LRMA	AD 3.9	Markings and markers.....	AD 3.6-2
LRMA	AD 3.10	Heliport obstacles.....	AD 3.6-2
LRMA	AD 3.11	Meteorological information provided	AD 3.6-2
LRMA	AD 3.12	Heliport data	AD 3.6-3
LRMA	AD 3.13	Declared distances.....	AD 3.6-3
LRMA	AD 3.14	Approach and FATO lighting.....	AD 3.6-3
LRMA	AD 3.15	Other lighting, secondary power supply.....	AD 3.6-3
LRMA	AD 3.16	ATS airspace.....	AD 3.6-3
LRMA	AD 3.17	ATS communication facilities	AD 3.6-4
LRMA	AD 3.18	Radio navigation and landing aids	AD 3.6-4
LRMA	AD 3.19	Local heliport regulations	AD 3.6-4
LRMA	AD 3.20	Noise abatement procedures	AD 3.6-4
LRMA	AD 3.21	Flight procedures.....	AD 3.6-4
LRMA	AD 3.22	Additional information.....	AD 3.6-4
LRMA	AD 3.23	Charts related to the heliport.....	AD 3.6-4



LRHO	AD 3.1	Heliport location indicator and name	AD 3.7-1
LRHO	AD 3.2	Heliport geographical and administrative data	AD 3.7-1
LRHO	AD 3.3	Operational hours	AD 3.7-1
LRHO	AD 3.4	Handling services and facilities	AD 3.7-1
LRHO	AD 3.5	Passenger facilities	AD 3.7-1
LRHO	AD 3.6	Rescue and fire fighting services	AD 3.7-2
LRHO	AD 3.7	Seasonal availability - clearing	AD 3.7-2
LRHO	AD 3.8	Aprons, taxiways and check locations data	AD 3.7-2
LRHO	AD 3.9	Markings and markers	AD 3.7-2
LRHO	AD 3.10	Heliport obstacles	AD 3.7-2
LRHO	AD 3.11	Meteorological information provided	AD 3.7-2
LRHO	AD 3.12	Heliport data	AD 3.7-3
LRHO	AD 3.13	Declared distances	AD 3.7-3
LRHO	AD 3.14	Approach and FATO lighting	AD 3.7-3
LRHO	AD 3.15	Other lighting, secondary power supply	AD 3.7-3
LRHO	AD 3.16	ATS airspace	AD 3.7-3
LRHO	AD 3.17	ATS communication facilities	AD 3.7-4
LRHO	AD 3.18	Radio navigation and landing aids	AD 3.7-4
LRHO	AD 3.19	Local heliport regulations	AD 3.7-4
LRHO	AD 3.20	Noise abatement procedures	AD 3.7-4
LRHO	AD 3.21	Flight procedures	AD 3.7-4
LRHO	AD 3.22	Additional information	AD 3.7-4
LRHO	AD 3.23	Charts related to the heliport	AD 3.7-4

LRDD	AD 3.1	Heliport location indicator and name	AD 3.8-1
LRDD	AD 3.2	Heliport geographical and administrative data	AD 3.8-1
LRDD	AD 3.3	Operational hours	AD 3.8-1
LRDD	AD 3.4	Handling services and facilities	AD 3.8-1
LRDD	AD 3.5	Passenger facilities	AD 3.8-1
LRDD	AD 3.6	Rescue and fire fighting services	AD 3.8-2
LRDD	AD 3.7	Seasonal availability - clearing	AD 3.8-2
LRDD	AD 3.8	Aprons, taxiways and check locations data	AD 3.8-2
LRDD	AD 3.9	Markings and markers	AD 3.8-2
LRDD	AD 3.10	Heliport obstacles	AD 3.8-2
LRDD	AD 3.11	Meteorological information provided	AD 3.8-2
LRDD	AD 3.12	Heliport data	AD 3.8-3
LRDD	AD 3.13	Declared distances	AD 3.8-3
LRDD	AD 3.14	Approach and FATO lighting	AD 3.8-3
LRDD	AD 3.15	Other lighting, secondary power supply	AD 3.8-3
LRDD	AD 3.16	ATS airspace	AD 3.8-3
LRDD	AD 3.17	ATS communication facilities	AD 3.8-3
LRDD	AD 3.18	Radio navigation and landing aids	AD 3.8-3
LRDD	AD 3.19	Local heliport regulations	AD 3.8-4
LRDD	AD 3.20	Noise abatement procedures	AD 3.8-4
LRDD	AD 3.21	Flight procedures	AD 3.8-4
LRDD	AD 3.22	Additional information	AD 3.8-4
LRDD	AD 3.23	Charts related to the heliport	AD 3.8-4

AD 1.3 INDEX TO AERODROMES AND HELIPORTS

Aerodrom/heliport name Location indicator	Type of traffic permitted to use the aerodrome/heliport			Reference to AD section and remarks
	International - National (INTL-NTL)	IFR-VFR	S=Scheduled NS=Non-scheduled P=Private	
1	2	3	4	5
Aerodromes				
ARAD/Arad LRAR	INTL - NTL	IFR - VFR	S - NS - P	AD 2.1
BACĂU/George Enescu LRBC	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.2
BAIA MARE/Maramureş LRBM	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.3
BUCUREŞTI/Băneasa-Aurel Vlaicu LRBS	INTL - NTL	IFR - VFR	S - NS - P	AD 2.4
BUCUREŞTI/Henri Coandă LROP	INTL - NTL	IFR - VFR	S - NS - P	AD 2.5
CARANSEBEŞ/Banat-Caransebeş LRCS	NTL	VFR	NS - P	AD 2.6
CLUJ NAPOCA/Avram Iancu LRCL	INTL - NTL	IFR - VFR	S - NS - P	AD 2.7
CONSTANŢA/Mihail Kogălniceanu- Constanţa LRCK	INTL - NTL	IFR - VFR	S - NS - P	AD 2.8
CRAIOVA/Craiova LRCV	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.9
IAŞI/Iaşi LRIA	INTL - NTL	IFR - VFR	S - NS - P	AD 2.10
ORADEA/Oradea LROD	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.11
SATU MARE/Satu Mare LRSM	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.12
SIBIU/Sibiu LRSB	INTL - NTL	IFR - VFR	S - NS - P	AD 2.13
SUCEAVA/Ştefan cel Mare-Suceava LRSV	(INTL) - NTL	IFR - VFR	S - NS - P	AD 2.14
TÂRGU-MUREŞ/Transilvania-Târgu Mureş LRTM	INTL - NTL	IFR - VFR	S - NS - P	AD 2.15
TIMIŞOARA/Traian Vuia LRTR	INTL - NTL	IFR - VFR	S - NS - P	AD 2.16
TULCEA/Delta Dunării LRTC	(INTL) - NTL	IFR - VFR	NS - P	AD 2.17
CISNĂDIE/Măgura LRCD	NTL	VFR	P	AD 2.18
PLOIEŞTI/Gheorghe Valentin Bibescu-Ploieşti LRPW	NTL	VFR	NS - P	AD 2.19
TUZLA/Tuzla LRTZ	NTL	VFR	P	AD 2.20
BRAŞOV/Sânpetru LRSP	NTL	VFR	NS - P	AD 2.21
PITEŞTI/Geamăna LRPT	NTL	VFR	NS - P	AD 2.23
DEVA/Săuleşti-Constantin Manolache LRDV	NTL	VFR	NS - P	AD 2.24
<i>Remarks: (INTL) - opened to international traffic only in certain circumstances; - for details, see AD section for each aerodrome.</i>				


1	2	3	4	5
ARAD/Charlie-Bravo Şiria LRCB	NTL	VFR	NS - P	AD 2.25
BISTRIŢA/Bistriţa LRBN	NTL	VFR	NS - P	AD 2.26
GRĂDIŞTEA/Grădiştea LRBA	NTL	VFR	NS - P	AD 2.27
CLINCENI/Clinceni LRCN	NTL	VFR	NS - P	AD 2.28
BRAŞOV/Braşov-Ghimbav LRBV	INTL - NTL	IFR - VFR	S - NS - P	AD 2.29
DEZMIR/Dezmir LRCJ	NTL	VFR	NS - P	AD 2.30
GHEORGHENI/Remetea LRHR	NTL	VFR	NS - P	AD 2.31
CRAIOVA/Craiova-Sud LRCW	NTL	VFR	NS - P	AD 2.32
IAŞI/Iaşi-Sud LRIS	NTL	VFR	NS - P	AD 2.33
TÂRGU MUREŞ/Mureşeni LRMS	NTL	VFR	NS - P	AD 2.34
BRAŞOV/Corona LRCR	NTL	VFR	NS - P	AD 2.35

Remarks: (INTL) - opened to international traffic only in certain circumstances;
- for details, see AD section for each aerodrome.

1	2	3	4	5
Heliports				
GHIMBAV/IAR BRAŞOV LRBG	NTL	VFR	NS - P	AD 3.2
NĂVODARI//Midia-Constanţa LRMC	NTL	VFR	NS - P	AD 3.5
GHIMBAV/MIR AERO-Braşov LRMA	NTL	VFR	NS - P	AD 3.6
ORADEA/SMURD BH 2 LRHO	NTL	VFR	NS - P	AD 3.7
OŞORHEI/Dogaru LRDD	NTL	VFR	P	AD 3.8

AERODROMES AND HELIPORTS - INDEX CHART

Changes: LRRC added.



1:3,500,000

ROMATSA

AIRAC AIP AMDT 13/25

**AD 1.5 AERODROME/HELIPORT CERTIFICATION STATUS
STATUTUL CERTIFICĂRII AERODROMURILOR/HELIPORTURILOR**

<i>Aerodrome name Location indicator</i>	<i>Date of initial certification Data certificării inițiale</i>	<i>Certificate validity Valabilitatea certificatului</i>	<i>Remarks Observații</i>
1	2	3	4
ARAD/Arad LRAR	15.04.2002	Unlimited	AD 2.1
ARAD/Charlie-Bravo Șiria LRCB	20.10.2014	01.11.2024	AD 2.25
BACĂU/George Enescu LRBC	01.09.2002	Unlimited	AD 2.2 Civ / Mil
BAIA MARE/Maramureș LRBM	10.07.2002	Unlimited	AD 2.3
BISTRIȚA/Bistrița LRBN	23.03.2017	Unlimited	AD 2.26
BRAȘOV/Brașov-Ghimbav LRBV	09.12.2022	Unlimited	AD 2.29
BUCUREȘTI/Băneasa-Aurel Vlaicu LRBS	15.07.2002	Unlimited	AD 2.4
BUCUREȘTI/Henri Coandă LROP	30.04.2002	Unlimited	AD 2.5 Civ / Mil
CARANSEBEȘ/Banat-Caransebeș LRCS	29.05.2020	Unlimited	AD 2.6
CISNĂDIE/Măgura LRCD	23.06.2008	Unlimited	AD 2.18
CLINCENI/Clinceni LRCN	24.05.2016	Unlimited	AD 2.28
CLUJ NAPOCA/Avram Iancu LRCL	15.06.2002	Unlimited	AD 2.7
CONSTANȚA/Mihail Kogălniceanu- Constanța LRCK	10.06.2002	Unlimited	AD 2.8 Civ / Mil
BRAȘOV/Corona LRCR	04.11.2022	Unlimited	AD 2.35
CRAIOVA/Craiova LRCV	25.04.2002	Unlimited	AD 2.9
CRAIOVA/Craiova-Sud LRCW	19.10.2011	Unlimited	AD 2.32
DEVA/Săulești-Constantin Manolache LRDV	13.10.2011	Unlimited	AD 2.24
DEZMIR/Dezmir LRCJ	04.01.2019	Unlimited	AD 2.30
GHEORGHENI/Remetea LRHR	26.04.2023	Unlimited	AD 2.31
GRĂDIȘTEA/Grădiștea LRBA	26.08.2019	Unlimited	AD 2.27
IAȘI/Iași LRIA	30.05.2002	Unlimited	AD 2.10
IAȘI/Iași-Sud LRIS	25.07.2011	Unlimited	AD 2.33
ORADEA/Oradea LROD	20.08.2002	Unlimited	AD 2.11
PITEȘTI/Geamăna LRPT	10.10.2011	Unlimited	AD 2.23
PLOIEȘTI/Gheorghe Valentin Bibescu - Ploiești LRPW	26.07.2007	Unlimited	AD 2.19
SATU MARE/Satu Mare LRSM	10.07.2002	Unlimited	AD 2.12
Sânmihaiu German LRSG	07.12.2023	Unlimited	Not published

Aerodrome name Location indicator	Date of initial certification Data certificării inițiale	Certificate validity Valabilitatea certificatului	Remarks Observații
1	2	3	4
SÂNPETRU/Sânpetru LRSP	22.02.2010	Unlimited	AD 2.21
SIBIU/Sibiu LRSB	30.07.2002	Unlimited	AD 2.13
SUCEAVA/Ștefan cel Mare-Suceava LRSV	01.09.2002	Unlimited	AD 2.14
TĂUȚII MĂGHERĂUȘ/Tăuții- Măgherauș LRMM	12.07.2016	Unlimited	Not published
TÂRGU MUREȘ/Mureșeni LRMS	26.05.2011	Unlimited	AD 2.34
TÂRGU MUREȘ/Transilvania-Târgu Mureș LRTM	20.06.2002	Unlimited	AD 2.15
TIMIȘOARA/Traian Vuia LRTR	01.10.2003	Unlimited	AD 2.16 Civ / Mil
TULCEA/Delta Dunării LRTC	03.10.2002	Unlimited	AD 2.17
TUZLA/Tuzla LRTZ	15.11.2004	Unlimited	AD 2.20
Zănești-Neamț LRZN	01.08.2022	Unlimited	Not published



Heliport name Location indicator	Date of initial certification Data certificării inițiale	Certificate validity Valabilitatea certificatului	Remarks Observații
1	2	3	4
BALC/Complex Vânătoare Fagu-Balc LRFB	07.08.2012	Unlimited	Not published
BUCUREȘTI/Spitalul Universitar de Urgență (SUUB)	03.12.2019	25.11.2024	Not published
BUCUREȘTI/West Gate LRWG	30.06.2014	20.07.2024	Not published
CONSTANȚA/Punct de Operare Aeromedicală SMURD LRCH	07.03.2016	Unlimited	Not published
GHIMBAV/IAR BRAȘOV LRBG	17.06.2009	15.12.2024	AD 3.2
GHIMBAV/MIR AERO-Brașov LRMA	26.10.2017	Unlimited	AD 3.6
Heliportul Spitalului Județean de Urgență Bistrița - SMURD BN 1	16.08.2021	16.08.2024	Not published
Heliplatforma ANA	07.03.2022	10.09.2025	Not published

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV. 608 ft
HEIGHTS RELATED TO AD ELEV

BACAU TOWER 120.980
BACAU TOWER ALTN 118.600

**BACĂU / George Enescu
(LRBC)
ILS Z RWY 16**



MISSED APPROACH:
Climb straight ahead to D 10.1 IBA, then turn RIGHT direct to BCU DVOR/DME, climbing to **4100** and hold (inbound 350°) or follow ATC intructions.

OCA (H)	MACG	A	B
CAT I	2.50%	869 (261)	879 (271)
	3.00%	752 (144)	762 (154)
CAT II	2.50%	781 (173)	797 (189)
	3.00%	659 (51)	675 (67)
GP INOP with SDF	2.50%	930 (322)	
GP INOP w/o SDF	2.50%	980 (372)	
Circling (1)		1820	

Timing not authorized for defining the MAPt.

GS	KIAS	70	90	100	120	140	160
FAF-MAPT 5.1 NM	min:s	4:22	3:24	3:04	2:33	2:11	1:55
Rate of descent(5.2%)	ft/min	372	478	531	637	744	850

Dist to IBA DME	NM	5	4	3	2	1
Altitudes (Heights)	FT	2200 (1592)	1880 (1272)	1560 (952)	1240 (632)	930 (322)

(1) Circling West of airport prohibited.

For data tabulation see verso.

**BACĂU / George Enescu (LRBC)
ILS Z RWY 16****AERONAUTICAL DATA TABULATION****ILS Z Approach to RWY 16 from GUXVA, DIRCO, TULNU, KENUX, REDKU, SALAC**

Fix/Point	Coordinates
GUXVA (IAF) – BRG 028.29° BCU / D 17.36 BCU	46°44'48.0" N 027°04'07.0" E
DIRCO (IAF) – BRG 066.17° BCU / D 18.55 BCU	46°35'58.0" N 027°15'17.0" E
TULNU (IAF) – BRG 144.69° BCU / D 15.70 BCU	46°16'50.0" N 027°00'16.0" E
KENUX (IAF) – BRG 183.38° BCU / D 13.34 BCU	46°17'32.0" N 026°46'04.0" E
REDKU (IAF) – BRG 261.82° BCU / D 11.47 BCU	46°30'24.0" N 026°32'56.0" E
SALAC (IAF) – BRG 337.90° BCU / D 14.30 BCU	46°44'27.0" N 026°44'07.0" E
CANJE (IF) – BRG 158.16° IBA / D 10.20 IBA / D 11.00 BCU	46°41'37.9" N 026°50'32.6" E
FAP/FAF (GP INOP) – BRG 158.16° IBA / D 5.25 IBA	46°36'51.8" N 026°52'25.6" E
SDF (GP INOP) – BRG 158.17° IBA / D 1.87 IBA	46°33'35.8" N 026°53'42.8" E
THR RWY 16 (MAPT GP INOP) – BRG 158.17° IBA / D 0.19 IBA	46°31'57.93" N 026°54'21.29" E
D 10.1 IBA – BRG 158.23° IBA / D 10.07 IBA	46°22'04.6" N 026°58'13.8" E
IBA DME	46°31'46.8" N 026°54'19.5" E
GP 16	46°31'46.9" N 026°54'19.8" E
IBA LOC	46°30'30.0" N 026°54'55.9" E
BCU DVOR/DME	46°30'39.3" N 026°49'32.0" E

Final approach descent angle: 3.00°

TEMPORARY RESERVED AREAS (TRA)

Identification	Vertical limits	Identification	Vertical limits
LRTRA32G	GND – FL95	LRTRA47L	5000 FT AMSL – FL200
LRTRA32L	FL95 – FL200	LRTRA48G	GND – 5500 FT AMSL
LRTRA42G	GND – FL85	LRTRA48L	5500 FT AMSL – FL200
LRTRA42L	FL85 – FL200	LRTRA60G	GND – 5000 FT AMSL
LRTRA43G	GND – FL90	LRTRA60L	5000 FT AMSL – FL200
LRTRA43L	FL90 – FL200	LRTRA61G	GND – FL65
LRTRA44G	GND – 5000 FT AMSL	LRTRA61L	FL65 – FL200
LRTRA44L	5000 FT AMSL – FL200	LRTRA111A	FL65 – FL280
LRTRA47G	GND – 5000 FT AMSL	LRTRA111I	FL65 – FL280

RADIO COMMUNICATION FAILURE

- If ILS Z RWY16 instrument approach procedure was assigned or received by ATC, set transponder 7600, proceed according assigned or designated ILS Z RWY16 instrument approach procedure. Descending shall be executed in accordance with vertical restrictions specified on chart.
- If ILS Z RWY16 instrument approach procedure was not assigned or received by ATC, for arrivals via REDKU/ SALAC/ GUXVA/ DIRCO/ KENUX: set transponder 7600, proceed according to FPL to CTR entry point (REDKU/ SALAC/ GUXVA/ DIRCO/ KENUX) and hold at least 6 minutes, then continue to ILS Z RWY16 approach. Descending shall be executed in accordance with vertical restrictions specified on chart.
- If ILS Z RWY16 instrument approach procedure was not assigned or received by ATC, for arrivals via TULNU: set transponder 7600, proceed according to FPL to CTR entry point TULNU (IAF), then BCU VOR and hold at least 6 minutes, then continue the ILS Z RWY 16 approach. Descending shall be executed in accordance with vertical restrictions specified on chart.

**BACĂU / George Enescu (LRBC)
ILS Y RWY 16****AERONAUTICAL DATA TABULATION****ILS Y Approach to RWY 16 from GUXVA, DIRCO, TULNU, KENUX, REDKU, SALAC**

Fix/Point	Coordinates
GUXVA (IAF) – BRG 028.29° BCU / D 17.36 BCU	46°44'48.0" N 027°04'07.0" E
DIRCO (IAF) – BRG 066.17° BCU / D 18.55 BCU	46°35'58.0" N 027°15'17.0" E
TULNU (IAF) – BRG 144.69° BCU / D 15.70 BCU	46°16'50.0" N 027°00'16.0" E
KENUX (IAF) – BRG 183.38° BCU / D 13.34 BCU	46°17'32.0" N 026°46'04.0" E
REDKU (IAF) – BRG 261.82° BCU / D 11.47 BCU	46°30'24.0" N 026°32'56.0" E
SALAC (IAF) – BRG 337.90° BCU / D 14.30 BCU	46°44'27.0" N 026°44'07.0" E
CANJE (IF) – BRG 158.16° IBA / D 10.20 IBA / D 11.00 BCU	46°41'37.9" N 026°50'32.6" E
FAP/FAF (GP INOP) – BRG 158.16° IBA / D 5.25 IBA	46°36'51.8" N 026°52'25.6" E
SDF (GP INOP) – BRG 158.17° IBA / D 1.87 IBA	46°33'35.8" N 026°53'42.8" E
THR RWY 16 (MAPT GP INOP) – BRG 158.17° IBA / D 0.19 IBA	46°31'57.93" N 026°54'21.29" E
D 10.1 IBA – BRG 158.23° IBA / D 10.07 IBA	46°22'04.6" N 026°58'13.8" E
IBA DME	46°31'46.8" N 026°54'19.5" E
GP 16	46°31'46.9" N 026°54'19.8" E
IBA LOC	46°30'30.0" N 026°54'55.9" E
BCU DVOR/DME	46°30'39.3" N 026°49'32.0" E

Final approach descent angle: 3.00°

TEMPORARY RESERVED AREAS (TRA)

Identification	Vertical limits	Identification	Vertical limits
LRTRA32G	GND – FL95	LRTRA47L	5000 FT AMSL – FL200
LRTRA32L	FL95 – FL200	LRTRA48G	GND – 5500 FT AMSL
LRTRA42G	GND – FL85	LRTRA48L	5500 FT AMSL – FL200
LRTRA42L	FL85 – FL200	LRTRA60G	GND – 5000 FT AMSL
LRTRA43G	GND – FL90	LRTRA60L	5000 FT AMSL – FL200
LRTRA43L	FL90 – FL200	LRTRA61G	GND – FL65
LRTRA44G	GND – 5000 FT AMSL	LRTRA61L	FL65 – FL200
LRTRA44L	5000 FT AMSL – FL200	LRTRA111A	FL65 – FL280
LRTRA47G	GND – 5000 FT AMSL	LRTRA111I	FL65 – FL280

RADIO COMMUNICATION FAILURE

- If ILS Y RWY16 instrument approach procedure was assigned or received by ATC, set transponder 7600, proceed according assigned or designated ILS Y RWY16 instrument approach procedure. Descending shall be executed in accordance with vertical restrictions specified on chart.
- If ILS Y RWY16 instrument approach procedure was not assigned or received by ATC, for arrivals via REDKU/ SALAC/ GUXVA/ DIRCO/ KENUX: set transponder 7600, proceed according to FPL to CTR entry point (REDKU/ SALAC/ GUXVA/ DIRCO/ KENUX) and hold at least 6 minutes, then continue to ILS Y RWY16 approach. Descending shall be executed in accordance with vertical restrictions specified on chart.
- If ILS Y RWY16 instrument approach procedure was not assigned or received by ATC, for arrivals via TULNU: set transponder 7600, proceed according to FPL to CTR entry point TULNU (IAF), then BCU VOR and hold at least 6 minutes, then continue the ILS Y RWY 16 approach. Descending shall be executed in accordance with vertical restrictions specified on chart.

LROD AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel/ Frequency	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
TWR	Oradea Tower	118.455 120.200 MHz ALTN	NIL	NIL	W: 0500-1900 S: 0400-1800	Exempted 8.33 KHz State aircraft.
APP	Oradea Tower	121.500 MHz EMERG 120.200 MHz	NIL	NIL	W: 0500-1900 S: 0400-1800	Procedural service

LROD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR Type of supported OPS ILS classification GBAS classification (For VOR/ILS/MLS give declination)	ID	Frequency/ Channel	Hours of operation	Position of transmitting antenna coordinates	ELEV of DME transmitting antenna/ ELEV of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
1	2	3	4	5	6	7	8
LOC 19 6°E (2020) ILS CAT II (II.T.3)	IOD	109.500 MHz	H24	470031.5N 0215351.5E	-	NIL	Front course angle 4.19°
GP 19	-	332.600 MHz	H24	470149.5N 0215419.8E	-	NIL	GP angle 3° ILS RDH 52 FT
DME 19	IOD	CH 32X	H24	470149.3N 0215419.9E	500 FT	NIL	NIL
NDB(LO)	ORA	418 KHz	H24	470601.3N 0215526.9E	-	NIL	006° MAG/4.11 NM from THR 19 Coverage 100 NM (declared) Transmitting antennas are satellite based. Maintained by the U.S. Department of Defense.
GPS NPA	-	1575.420 MHz	H24	-	-	NIL	

LROD AD 2.20 LOCAL AERODROME REGULATIONS

1. Airport regulations / Reglementări de aeroport

1.1. Procedures for acceptance

(1) Prior to flight schedule, operators are asked to check the availability of ground handling services and parking space.

1.2. Taxiing the aircraft on the manoeuvring area

(1) Aircraft 180 DEG turn are only permitted on RWY END or INTERMEDIATE turn pads.

(2) Aircraft 180 DEG turn to the intermediate platform for take-off is prohibited. The platforms at the ends of the runway will be used for takeoff.

(3) Caution, comply with Oradea TWR instructions at the intermediate holding positions on TWY B and TWY C, otherwise an aircraft taxiing on TWY C and TWY B may collide with an aircraft holding at the runway holding position on TWY A.

1.3. Taxiing of aircraft on apron

(1) Taxiing of aircraft on apron shall be carried out under the direction of marshaller.

1.1. Proceduri de admisibilitate

(1) Înainte de programarea zborului, operatorii aerieni trebuie să verifice disponibilitatea serviciilor de handling și a locului de parcare.

1.2. Rularea aeronavelor pe suprafața de manevră

(1) Întoarcerea aeronavelor cu 180 grade este permisă numai pe platformele de la capătul pistei sau pe cea intermediară.

(2) Întoarcerea aeronavelor cu 180 grade la platforma intermediară, pentru decolare, este interzisă. Pentru decolare se vor folosi platformele de la capetele pistei.

(3) Atenție, respectați indicațiile TWR Oradea la pozițiile intermediare de așteptare de pe TWY B și TWY C, în caz contrar o aeronavă ce rulează pe TWY C și TWY B poate intra în coliziune cu o aeronavă ce așteaptă la poziția de așteptare la pistă de pe TWY A.

1.3. Rularea aeronavelor pe platformă

(1) Rularea aeronavelor pe platformă se efectuează sub dirijarea dispecerului sol.

- (2) Always the marshaller's signals prevail over the stand markings and guidance light.
- (3) Speed on TWY C must be reduced as it is followed by a tight right junction with TWY D1.

1.4. Aircraft parking

- (1) Parking positions on APRON 1:
 - stands 01-02: parking position for code letter „C” aircraft (maximum 26.5 m wingspan)
 - stands 03-04: parking position for code letter „C” aircraft (maximum 29 m wingspan)
 - stands 05-10: parking position for code letter „C” aircraft (maximum 36.0 m wingspan).
- (2) Parking positions on APRON 2:
 - stands 01-04: nose-in parking position, for code letter „C” aircraft (maximum 36.0 m wingspan).
- (3) Aircraft subject to an act of illegal intervention will be parked on runway holding position on TWY B, which will be closed to traffic.

1.5. Exiting the aircraft from the parking position

- (1) The departure of the aircraft from the stands at APRON 1 is allowed by self-maneuvring only with the direction of the aircraft provided by the ground dispatcher.
- (2) The exit of the aircraft from the APRON 2 stands is done only by pushback.

1.6. Use of the aerodrome by aircraft exceeding the certified design characteristics of the aerodrome

1.6.1 General Information

The aircraft exceeding the certified design characteristics of the aerodrome that can operate at Oradea Airport are: A300 B4 600 Freighter (code letter D); A300 B4 600R Freighter (code letter D); A300 C4 600 Freighter (code letter D); A300 C4 600R Freighter (code letter D); A300 F4 600 Freighter (code letter D); A300 F4 600R Freighter (code letter D); A330 200 Freighter (code letter E); A330 300 Freighter (code letter E); B767 200F (SF and BCF) (code letter D); B767 300F (code letter D); B767 300F (SF and BCF) (code letter D).

The aircraft exceeding the certified design characteristics of the aerodrome, exemplified above, will operate only on the following surfaces:

- RWY;
- TWY E;
- TWY F;
- APRON 2.

1.6.2. Taxiing on the Movement Area.

Given the limited dimensions of the turn pads, TWY E, and APRON 2, aircraft will be towed from the runway to the parking position on APRON 2 and from the parking position to the runway as follows:

1.6.2.1. Operation of A300 B4 600 Freighter (code letter D); A300 B4 600R Freighter (code letter D); A300 C4 600 Freighter (code letter D); A300 C4 600R Freighter (code letter D); A300 F4 600 Freighter (code letter D); A300 F4 600R Freighter (code letter D); A330 200 Freighter (code letter E); A330 300 Freighter (code letter E); B767 200F (SF and BCF) (code letter D); B767 300F (code letter D); B767 300F (SF and BCF) (code letter D).

1.6.2.1.1. Aircraft Arrival:

- After landing, the aircraft will turn on the turn pads, taxiing at a reduced speed and using the maximum turning angle due to the small radius of the centerline marking;
- The aircraft will taxi up to the centerline marking of TWY E;
- While taxiing on the runway, Oradea TWR will instruct the pilot to stop at the beginning of the centerline marking of TWY E;

- (2) Semnalele dispecerului de sol prevalează întotdeauna asupra marcajelor standului și luminilor de ghidare.
- (3) Viteza de rulare pe TWY C trebuie să fie redusă deoarece este urmată de o intersecție strânsă la dreapta cu TWY D1.

1.4. Parcarea aeronavelor

- (1) Pozițiile de parcare de la APRON 1:
 - standuri 01-02: poziții de parcare pentru aeronave cu litera de cod „C” (maximum 26.5 m anvergura aripilor).
 - standuri 03-04: poziții de parcare pentru aeronave cu litera de cod „C” (maximum 29 m anvergura aripilor).
 - standuri 05-10: poziții de parcare pentru aeronave cu litera de cod „C” (maximum 36 m anvergura aripilor).
- (2) Pozițiile de parcare de la APRON 2:
 - standuri 01-04: poziții de parcare nose-in, pentru aeronave cu litera de cod „C” (maximum 36 m anvergura aripilor).
- (3) Aeronavele supuse unui act de intervenție ilicită vor fi parcate pe poziția de așteptare la pistă de pe TWY B, care va fi închisă traficului.

1.5. Ieșirea aeronavelor din poziția de parcare

- (1) Ieșirea de la standurile de la APRON 1 a aeronavelor este permisă prin self-maneuvring doar cu dirijarea aeronavei asigurată de dispecerul de sol.
- (2) Ieșirea de la standurile de la APRON 2 a aeronavelor se face numai prin pushback.

1.6. Utilizarea aerodromului de către aeronave care depășesc caracteristicile de proiectare

1.6.1 Generalități

Aeronavele ce depășesc caracteristicile de proiectare certificate ale aerodromului care pot opera pe Aeroportul Oradea sunt: A300 B4 600 Freighter (literă de cod D); A300 B4 600R Freighter (literă de cod D); A300 C4 600 Freighter; A300 C4 600R Freighter (literă de cod D); A300 F4 600 Freighter (literă de cod D); A300 F4 600R Freighter (literă de cod D); A330 200 Freighter (literă de cod E); A330 300 Freighter (literă de cod E); B767 200F (SF și BCF) (literă de cod D); B767 300F (literă de cod D); B767 300F (SF și BCF) (literă de cod D).

Aeronavele ce depășesc caracteristicile de proiectare certificate ale aerodromului, exemplificate mai sus, vor opera doar pe următoarele suprafețe:

- RWY;
- TWY E;
- TWY F;
- APRON 2.

1.6.2. Rulajul pe suprafața de mișcare.

Având în vedere dimensiunile reduse ale platformelor de întoarcere, a TWY E și APRON 2, aeronavele vor fi tractate de la pistă până la poziția de parcare de pe APRON 2 și de la poziția de parcare până la pistă după cum urmează:

1.6.2.1. Operarea aeronavelor A300 B4 600 Freighter (literă de cod D); A300 B4 600R Freighter (literă de cod D); A300 C4 600 Freighter; A300 C4 600R Freighter (literă de cod D); A300 F4 600 Freighter (literă de cod D); A300 F4 600R Freighter (literă de cod D); A330 200 Freighter (literă de cod E); A330 300 Freighter (literă de cod E); B767 200F (SF și BCF) (literă de cod D); B767 300F (literă de cod D); B767 300F (SF și BCF) (literă de cod D).

1.6.2.1.1. Sosirea Aeronavei:

- După aterizare aeronava va întoarce pe platformele de întoarcere, rulând cu o viteză redusă și utilizând un unghi maxim de întoarcere, raza marcajului axial fiind mica;
- Aeronava va rula până la marcajul axial al TWY E;
- În timpul rulajului pe pistă TWR Oradea va instrui pilotul să oprească la începutul marcajului axial al TWY E;

- The aircraft will stop at the beginning of the centerline marking of TWY E;
 - After the aircraft stops at the beginning of the centerline marking at the of TWY E, Oradea TWR will instruct the pilot to shut down the engines;
 - The aircraft will shut down the engines and apply the brakes until coupling for towing;
 - The surface of the runway, TWY E, TWY F, and APRON 2 will be closed with a NOTAM;
 - After connection, the aircraft will be towed to the parking position.
- 1.6.2.1.2. Aircraft Departure:
- The aircraft will be towed from the parking position with engines off to the runway, up to the end area of the centre line marking of TWY E;
 - In this area, the aircraft engines will be started;
 - The aircraft will wait until Oradea TWR grants taxi clearance onto the runway after the surface is opened via NOTAM;

- The aircraft will turn on the turning pad at low speed, using the maximum turn angle, as the centre line marking radius is small;
- The aircraft will take off after Oradea TWR grants takeoff clearance.

1.6.3. Visual Slope:

Caution, the visual slope of the Precision Approach Path Indicator (PAPI) has been calculated taking into account the Boeing 737 Series 800 and Airbus A320 Series 200 aircraft.

1.6.4 Turn Pads:

- Be advised: turn pads (at RWY 01 END and at 520M before RWY 19 END) centre line marking does not ensure 180-degree turn;
- The centre line marking of the turn pads does not ensure the taxiing of A330-200F, A330-300F and B767-300F and B767-300F (SF and BCF) aircraft with the geometric center of the aircraft cabin aligned along the entire length of the marking; the aircraft must maintain a constant turning angle both while on the marking and when exiting it

- Aeronava va opri la începutul marcajului axial de intrare pe TWY E;
 - După oprire aeronavei la începutul marcajului axial de intrare la TWY E, TWR Oradea va solicita pilotului oprirea motoarelor;
 - Aeronava va opri motoarele și va acționa frânele până la cuplarea pentru tractare;
 - Suprafața pistei, a TWY E, TWY F și APRON 2 se vor închide cu NOTAM;
 - După cuplare, aeronava va fi tractată până la poziția de parcare;
- 1.6.2.1.2. Plecarea aeronavei:
- Aeronava va fi tractată de la poziția de parcare, cu motoarele oprite până la pistă, în zona de final a marcajului axial al TWY E;
 - În această zonă motoarele aeronavei vor fi pornite;
 - Aeronava va aștepta până când TWR Oradea va da aprobarea de rulaj pe pistă, după deschiderea suprafeței prin NOTAM;
 - Aeronava va întoarce pe platforma de întoarcere cu viteză redusă utilizând un unghi de viraj maxim de întoarcere, raza marcajului axial fiind mica;
 - Aeronava va decola după ce TWR Oradea va da aprobarea de decolare.

1.6.3. Panta vizuală:

Atenție, panta vizuală a Indicatorului traiectoriei de apropiere de precizie (PAPI) a fost calculată ținând cont de aeronava Boeing 737 seria 800 și Airbus A320 seria 200.

1.6.4 Platformele de întoarcere:

- marcajul axial al platformelor de întoarcere (la capătul pistei 01 și la 520 m înainte de capătul pistei 19) nu asigură întoarcerea completă de 180 de grade;
- marcajul axial al platformelor de întoarcere nu asigură rulajul aeronavelor A330 seria 200F, A330 seria 300F și B767-300F și B767-300F (SF și BCF) cu centrul geometric al cabinei aeronavei pe întreaga lungime a marcajului, aeronavele trebuie să utilizeze un unghi de virare constant atât pe marcaj cât și la ieșirea de pe acesta.

2. Standard Taxi Routes / Rutele Standard de Rulare

2.1. Arrival information

Arrival on	Instruction given by ATC				Taxiway to be followed	Remarks			
	APRON		Name of the Standard Taxi Route						
RWY 01	APRON 1	Taxi via standard taxi route	Arrival 01A	To	Stands: 1-6	TWY B			
			Arrival 01B		Stands: 7	TWY B - TWY C			
			Arrival 01C		Stands: 8-10	TWY B - TWY C - TWY D1			
			Arrival 01D		Stands: 1-5	TWY A - TWY B			
			Arrival 01E		Stand: 6	TWY A			
			Arrival 01F		Stand: 7	TWY A - TWY C			
			Arrival 01G		Stands: 8-10	TWY A - TWY C - TWY D1			
			Arrival 01H		Stands: 1	BACKTRACK RWY 01 - TWY E			
	APRON 2		Arrival 01I		Stands: 2-4	BACKTRACK RWY 01 TWY E - TWY F			
			Arrival 01J		Stands: 1	TWY E			
			Arrival 01K		Stands: 2-4	TWY E - TWY F			
			RWY 19		APRON 1	Arrival 19A	To	Stands: 1-5	BACKTRACK RWY 19 - TWY A - TWY B
						Arrival 19B		Stands: 6	BACKTRACK RWY 19 - TWY A
Arrival 19C	Stands: 7	BACKTRACK RWY 19 - TWY A - TWY C							
APRON 2	Arrival 19D	Stands: 8-10		BACKTRACK RWY 19 - TWY A - TWY C - TWY D1					
	Arrival 19E	Stands: 1		BACKTRACK RWY 19 - TWY E					
	Arrival 19F	Stands: 2-4		BACKTRACK RWY 19 - TWY E - TWY F					
	Arrival 19G	Stands: 1		TWY E					
	Arrival 19H	Stands: 2-4		TWY E - TWY F					

2.2. Departure information

Departure from	Instruction given by ATC			Taxiway to be followed	Remarks	
		Name of the Standard Taxi Route				
APRON 1	Taxi via standard taxi route	Departure 19A	From	Stands: 1-5	TWY B - TWY A - BACKTRACK RWY 19	NIL
		Departure 19B		Stands: 1-5	TWY B	
		Departure 19C		Stands: 6	TWY B	
		Departure 19D		Stands: 6	TWY A - BACKTRACK RWY 19	
		Departure 19E		Stands: 7	TWY A - BACKTRACK RWY 19	
		Departure 19F		Stands: 7	TWY B	
		Departure 19G		Stands: 8-10	TWY D2 - TWY C - TWY A - BACKTRACK RWY 19	
		Departure 19H		Stands: 8-10	TWY D2 - TWY C - TWY B	
		Departure 01A		Stands: 1-5	TWY B - TWY A - BACKTRACK RWY 01	
		Departure 01B		Stands: 6	TWY A - BACKTRACK RWY 01	
		Departure 01C		Stands: 7	TWY A - BACKTRACK RWY 01	
		Departure 01D		Stands: 1-5	TWY B - TWY A - BACKTRACK RWY 01	
		Departure 01E		Stands: 8-10	TWY D2 - TWY C - TWY A - BACKTRACK RWY 01	
APRON 2	Taxi via standard taxi route	Departure 19I	From	Stands: 1	TWY E - BACKTRACK RWY 19	
		Departure 19J		Stands: 2-4	TWY F - TWY E - BACKTRACK RWY 19	
		Departure 01F		Stands: 1	TWY E - BACKTRACK RWY 01	
		Departure 01G		Stands: 2-4	TWY F - TWY E - BACKTRACK RWY 01	

LROD AD 2.21 NOISE ABATEMENT PROCEDURES

See AD 1.1-3

LROD AD 2.22 FLIGHT PROCEDURES

1. LOW VISIBILITY PROCEDURES / PROCEDURI ÎN CONDIȚII DE VIZIBILITATE REDUSĂ

1. Description of facilities

1.1 Runway 19 is equipped with ILS and is authorised for CAT II operations (RVR not less than 300m).

1.2 Runway 19 approved for LVTO (RVR not less than 125m).

1. Descrierea facilităților

1.1 Pista 19 este echipată cu ILS și este autorizată pentru desfășurarea operațiunilor CAT II (RVR nu mai mic de 300m).

1.2 Pista 19 autorizată pentru LVTO (RVR nu mai mic de 125m).

2. Criteria for the initiation and termination of LVP

2.1 The preparation phase will be triggered when the RVR is 800m (horizontal visibility 1500m) or the cloud ceiling/vertical visibility is 500ft and the initiation of CAT II operations is foreseen;

2.2 The initiation phase will be triggered when the value of RVR falls below 550m (horizontal visibility falls below 800m) or cloud ceiling/vertical visibility is 200ft or less;

2.3 LVP will be terminated when the value of RVR is greater than 800m (horizontal visibility is 1500m or higher) and cloud ceiling/vertical visibility is greater than 500ft and a continuing improvement of these conditions is anticipated

2.4 Take-off

LVTO will be triggered when the RVR is less than 550 m.

2. Criterii pentru inițierea și terminarea LVP

2.1 Faza de pregătire va fi declanșată atunci când RVR are valoarea de 800m (vizibilitate orizontală 1500m) sau plafonul norilor/vizibilitate verticala este de 500ft și sunt prevăzute declanșarea operațiunilor CAT II;

2.2 Faza de inițiere va fi declanșată atunci când valoarea RVR scade sub 550m (vizibilitatea orizontală scade sub 800m) sau plafonul norilor/vizibilitate verticala are valoare de 200ft sau mai puțin;

2.3 LVP vor fi încheiate atunci când valoarea RVR este mai mare de 800m (vizibilitate orizontală este 1500m sau mai mult) și plafonul norilor/vizibilitate verticala este mai mare de 500ft și este anticipată îmbunătățirea continuă a acestor condiții.

2.4 Decolare

LVTO va fi declanșată atunci când RVR este mai mică de 550 m.

3. Details of runway exits

3.1 Runway connections with taxiways are equipped with green/yellow coded centerline lights.

3.2 Pilots will report "Runway Clear" only after the aircraft has passed the green/yellow light-coded segment of the centerline of taxiways A, B and E.

3. Detalii privind eliberarea pistei

3.1 Racordurile pistei cu căile de rulare sunt echipate cu lumini axiale codificate verde/galben.

3.2 Piloții vor raporta "Pista liberă" numai după ce aeronava a depășit segmentul codat cu lumini verde/galben al axului căilor de rulare A,B și E.

AIRCRAFT PARKING/
DOCKING CHART - ICAO


APRON ELEV 450FT

ORADEA TOWER 118.455
ORADEA TOWER ALTN 120.200

ORADEA / Oradea (LROD)
APRON 1

ELEVATIONS IN FEET
DIMENSIONS IN METERS

VAR 6°E 2020
ANNUAL RATE OF CHANGE 7.2° E



HOT SPOT
Caution, risk of collision with an aircraft holding at the runway holding position on TWY A.

HOT SPOT
Caution: sharp turn, reduce speed accordingly.

Changes: HOT SPOT added.

LEGEND:

TAXI GUIDANCE LINE	—
INS POINTS	⊕
TO AIRCRAFT STAND	→
FLOODLIGHT	☼
MOVEMENT SURFACE BOUNDARY	—
RUNWAY HOLDING POSITION	—
ENHANCED TAXIWAY CENTRE LINE MARKING	—
TAXIWAY AND APRON EDGE LIGHT	•
TAXIWAY CENTERLINE LIGHT	•
APRON BOUNDARY	—
BUILDING	■
HOT SPOT	⊗

INS COORDINATES FOR AIRCRAFT STANDS

INS1	47°01'43.82"N	021°54'02.34"E
INS2	47°01'44.05"N	021°54'00.62"E
INS3	47°01'42.32"N	021°54'01.97"E
INS4	47°01'42.55"N	021°54'00.25"E
INS5	47°01'40.62"N	021°54'00.49"E
INS6	47°01'38.40"N	021°53'59.85"E
INS7	47°01'36.14"N	021°53'59.50"E
INS8	47°01'33.02"N	021°53'58.35"E
INS9	47°01'33.29"N	021°53'56.34"E
INS10	47°01'33.56"N	021°53'54.33"E

Stand no.	Aircraft	Maximum Aircraft Type
5 - 10	Aircraft with wingspan = 36m (Code letter C)	B 737 - 900
3 - 4	Aircraft with wingspan = 29m (Code letter C)	ATR 72 / SAAB 2000
1 - 2	Aircraft with wingspan = 26.5m (Code letter C)	ATR 42 / SAAB 340

Parking will be performed with marshaller assistance

TWY A: 18 M WIDE
TWY B: 18 M WIDE
TWY C: 18 M WIDE
TWY D1: 18 M WIDE
TWY D2: 18 M WIDE

BEARING STRENGTH FOR STANDS 65/R/C/W/T
BEARING STRENGTH FOR TWY A 62/R/C/W/T
BEARING STRENGTH FOR TWY B 62/R/C/W/T
BEARING STRENGTH FOR TWY C 65/R/C/W/T
BEARING STRENGTH FOR TWY D1 65/R/C/W/T
BEARING STRENGTH FOR TWY D2 65/R/C/W/T



LRSM AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT	THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT	RWY edge LGT	RWY End LGT colour	RWY SWY LGT LEN(M) colour	Remarks
	type				Length, spacing, colour, INTST	LEN, spacing colour, INTST			
1	2	3	4	5	6	7	8	9	10
01	SALS 420M, LIH	Green -	PAPI Left/3° (46 FT)	Nil	1600M, 15M, White, LIH 600M, 15M, Red/White, LIH 300M, 15M, Red, LIH	1900M, 59M, White, LIH 600M, 59M, Yellow, LIH	Red -	NIL	LED lights are exclusively used for lighting systems described in columns 2,3,7,8
19	CAT II 900M, LIH	Green WBAR	PAPI Left/3° (49 FT)	White 900M	1600M, 15M, White, LIH 600M, 15M, Red/White, LIH 300M, 15M, Red, LIH	1900M, 59M, White, LIH 600M, 59M, Yellow, LIH	Red -	NIL	

LRSM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL Anemometer at 150 M from THR 19, HJ.
3	TWY edge and centre line lighting	TWY edge blue omnidirectional lights LIL. TWY centre line green/green; yellow/green lights, 15M (7.5M) spacing.
4	Secondary power supply/switch-over time	Secondary power supply to all lighting at AD. Switch-over time: 1 SEC.
5	Remarks	NIL

LRSM AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRSM AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	SATU MARE CTR 474738N 0222632E - FIR boundary - 474437N 0222510E - 473332N 0223120E - 472706N 0224758E - 472929N 0230730E - 474140N 0230939E - 475910N 0230200E - FIR boundary - 474738N 0222632E
2	Vertical limits	SFC to FL55
3	Airspace classification	C
4	ATS unit call sign Language(s)	Satu Mare Tower English, Romanian
5	Transition altitude	4000 FT (1200 M) AMSL
6	Hours of aplicability	W: 0500-1700 S: 0400-1600 Days of operation: MON-SAT
7	Remarks	1. CTR established during hours of operation of ATS. See NOTAMs for changes. 2. Outside hours of operation of ATS airspace classification is G. 3. Outside hours of operation of ATS it is recommended to monitor Satu Mare TWR FREQ and check on FIS FREQ about CTR status.

LRSM AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel/ Frequency	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
TWR	Satu Mare Tower	119.655 118.800 MHz ALTN	NIL	NIL	W: 0500 - 1700 S: 0400 - 1600	Days of operation: Monday - Saturday Exempted 8.33 kHz State aircraft.
APP	Satu Mare Tower	121.500 MHz EMERG 118.800 MHz	NIL	NIL	W: 0500 - 1700 S: 0400 - 1600	Procedural service Days of operation: Monday - Saturday

LRSM AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR Type of supported OPS ILS classification GBAS classification (For VOR/ILS/MLS give declination)	ID	Frequency / Channel	Hours of operatio n	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna / ELEV of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
1	2	3	4	5	6	7	8
DVOR/DME (6°E/2020)	SAT	108.400 MHz (CH 21X)	H24	474338.7N 0225337.9E	500 FT	NIL	007° MAG / 0.8 NM from THR 19 Coverage 150 NM (assumed)
LOC 19 (6°E/2020) ILS CAT I (II.T.3)	ISM	110.950 MHz	H24	474123.7N 0225251.5E	-	NIL	Front course angle 4.31°
GP 19	-	330.650 MHz	H24	474241.1N 0225323.5E	-	NIL	GP Angle 3° ILS RDH 54 FT
DME 19	ISM	CH 46Y	H24	474240.9N 0225323.7E	400 FT	NIL	NIL
GPS NPA	-	1575.420 MHz	H24	-	-	NIL	Transmitting antennas are satellite based. Maintained by the U.S. Department of Defense.
EGNOS LPV	-	1575.420 MHz	H24	-	-	NIL	Transmitting antennas are satellite based. Maintained by the European Satellite Services Provider – ESSP.

LRSM AD 2.20 LOCAL AERODROME REGULATIONS

- NIL -

LRSM AD 2.21 NOISE ABATEMENT PROCEDURES

See AD 1.1-3

LRSM AD 2.22 FLIGHT PROCEDURES

- NIL -



**SATU MARE / Satu Mare (LRSM)
RNP RWY 01**

PROCEDURE CODING

Serial No	Path Descriptor	Waypoint ID	Flyover	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kts)	VPA/TCH (°/ft)	NAV SPEC
010	IF	TISAD	-	-	6.0 E	-	-	+FL060	-	-	RNP 1
020	TF	SM404	-	074 (080.3)	6.0 E	4.8	-	+FL050	-	-	RNP APCH
030	TF	PUBPE	-	097 (103.0)	6.0 E	5.0	-	+3200	-	-	RNP APCH
010	IF	JIBOU	-	-	6.0 E	-	-	+FL060	-	-	RNP 1
020	TF	SM403	-	272 (278.2)	6.0 E	7.4	-	+FL050	-	-	RNP APCH
030	TF	PUBPE	-	277 (283.0)	6.0 E	5.0	-	+3200	-	-	RNP APCH
010	IF	SOMET	-	-	6.0 E	-	-	+FL060	-	-	RNP 1
020	TF	SM403	-	212 (218.1)	6.0 E	14.2	-	+FL050	-	-	RNP APCH
030	TF	PUBPE	-	277 (283.0)	6.0 E	5.0	-	+3200	-	-	RNP APCH
010	IF	SAT	-	-	6.0 E	-	-	+FL060	-	-	RNP 1
020	TF	SM405	-	221 (227.3)	6.0 E	8.9	-	+FL050	-	-	RNP 1
030	TF	SM404	-	187 (192.8)	6.0 E	5.0	-	+FL050	-	-	RNP APCH
040	TF	PUBPE	-	097 (103.0)	6.0 E	5.0	-	+3200	-	-	RNP APCH
010	IF	PUBPE	-	-	6.0 E	-	-	+3200	-	-	RNP APCH
020	TF	SM402	-	007 (013.0)	6.0 E	5.0	-	@2100	-	-	RNP APCH
030	TF	RW01	Y	007 (013.1)	6.0 E	5.1	-	@464	-	-3.0/50	RNP APCH
040	TF	SM408	Y	007 (013.1)	6.0 E	8.0	-	-	-240	-	RNP APCH
050	DF	SAT	-	-	6.0 E	-	R	-FL060 +2400	-	-	RNP APCH
060	HM	SAT	-	221 (227.3)	6.0 E	-	L	-FL060 +2400	-230	-	RNP APCH

Path Descriptor	Waypoint ID	Inbound course °M (°T)	Leg distance	Timing(min.)/Waypoint Distance (NM)	Turn direction	Minimum altitude	Maximum altitude	Speed limit	Navigation specification
HM	JIBOU	321 (326.4)	-	1/-	R	FL060	FL090	-250	RNAV 1
HM	TISAD	041 (046.8)	-	1/-	R	FL060	FL090	-250	RNAV 1



**SATU MARE / Satu Mare (LRSM)
RNP RWY 01**

LPV FAS DB

Input Data	
Parameters	Values
Operation Type	0
SBAS Provider	1 (EGNOS)
Airport Identifier	LRSM
Runway	01
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E01A
LTP/FTP Latitude	474132.8720N
LTP/FTP Longitude	0225254.6380E
LTP/FTP Ellipsoidal Height (metres)	165.3
FPAP Latitude	474251.7160N
Delta FPAP Latitude (seconds)	78.8440
FPAP Longitude	0225321.7260E
Delta FPAP Longitude (seconds)	27.0880
Threshold Crossing Height	50.0
TCH Units Selector	0 (feet)
Glidepath Angle (degrees)	3.00
Course Width (metres)	105.00
Length Offset (metres)	0
HAL (metres)	40.0
VAL (metres)	50.0

Output Data	
Data Block	10 0D 13 12 0C 01 00 00 01 31 30 05 90 A6 77 14 DC DF D1 09 75 1A F8 67 02 A0 D3 00 F4 01 2C 01 64 00 C8 FA C1 72 17 46
Calculated CRC Value	C1721746

Required Additional Data	
Parameters	Values
ICAO Code	LR
LTP/FTP Orthometric Height (metres)	126.3

LRSB AD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRSB - SIBIU / Sibiu

LRSB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	454709N 0240508E Runway centre.
2	Direction and distance from city	270°, 3 km from Sibiu.
3	Elevation/Reference temperature/Mean low temperature	1520 FT / 28.3°C / -17.4°C
4	Geoid undulation	138 FT
5	MAG VAR/ Annual rate of change	5°E (2010)
6	AD Operator, address, telephone, telefax, e-mail, AFS, website	Aeroportul International Sibiu Șos. Alba Iulia, nr. 73, Sibiu, cod 550052 Tel: +40-372 055 861 (Info) +40-372 055 862 (Office) Fax: +40-(0)269-253047 (operational) AFS: LRSBRAYD
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	NIL

LRSB AD 2.3 OPERATIONAL HOURS

1	AD Operator	H24
2	Customs and immigration	H24
3	Health and sanitation	H24
4	AIS Briefing Office	H24
5	ATS Reporting Office (ARO)	H24
6	MET Briefing Office	H24
7	ATS	H24
8	Fueling	H24
9	Handling	H24
10	Security	H24
11	De-icing	H24
12	Remarks	NIL

LRSB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	5 tractor for equipments, 20 trailers, 1 dollies pallet, 3 self-propeller conveyor-belt loader, 4 self-propeller stairs, 2 tractable stairs, 1 highloader, 1 forklift.
2	Fuel/Oil types	Kerosene JET A1 / NIL AVGAS 100LL / NIL
3	Fueling facilities/capacity	Kerosene JET A1: 1 refueling truck of 20t / storage depot of 100 m ³ AVGAS 100LL: 1 unit 8m ³
4	De-icing facilities	Two units with liquid killfrost type ABC II plus minimal rate 120L/min
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	3 GPU units 115V and 28V 1 self-propeller lavatory service vehicle, 1 tractable lavatory service unit 1 self-propeller portable water vehicle, 1 tractable potable water unit 1 cabin/engine heater equipment 1 air start unit

LRSB AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Hotels in the city.
2	<i>Restaurants</i>	Restaurant, snack bar on the AD, HO
3	<i>Transportation</i>	Buses, taxis and airport shuttle bus.
4	<i>Medical facilities</i>	1 ambulance and first aid on the AD. Hospitals in the city
5	<i>Bank and Post Office</i>	In the city.
6	<i>Tourist Office</i>	At the AD.
7	<i>Remarks</i>	NIL

LRSB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	Within AD HR: CAT 7.
2	<i>Rescue equipment</i>	1 rescue equipment type HOLMATRO
3	<i>Capability for removal of disabled aircraft</i>	Cranes AVBL via contractor. Local Action Coordinator: +40-(0)732-650 905 for substitute: +40-(0)732-650 918 email: operations@sibiuairport.ro
4	<i>Remarks</i>	NIL

LRSB AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	<i>Types of clearing equipment</i>	2 trucks with brush, blade and snowblower, 1 autospreader de-icing, 1 truck with brush and snowblower, 3 small trucks with blade, cup and spreader de-icing.
2	<i>Clearance priorities</i>	1. RWY 09/27 2. TWY 3. Apron
3	<i>Use of material for movement area surface treatment</i>	Generic fluids and solid materials used for runway de/anti-icing are UREA .
4	<i>Specially prepared winter runways</i>	NIL
5	<i>Remarks</i>	Information about Runway surface condition in Global Reporting Format published by SNOWTAM. See also the snow plan in section AD 1.2.

LRSB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	<i>Apron designation, surface and strength</i>	APRON 1 Surface: Concrete Strength: PCN 110/R/D/W/T	APRON 2 Concrete PCN 56/R/D/W/T
2	<i>Taxiway designation, width, surface and strength</i>	Width: TWY E: 25 M ; TWY W, N: 18 M Surface: Concrete Strength: TWY E: PCN 110/R/D/W/T, TWY W, N: PCN 56/R/D/W/T	
3	<i>ACL location and elevation</i>	Location: APRON1 Elevation: 1451 FT	
4	<i>VOR checkpoints</i>	NIL	
5	<i>INS checkpoints</i>	See Aircraft parking chart AD 2.13-22	
6	<i>Remarks</i>	RWY turning bay: Location THR 09 and THR 27 Surface: Concrete Dimensions: 15M x 100M Strength : PCN 110/R/D/W/T	

LRSB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands</i>	Taxiing guidance signs at intersection with TWY and RWY, at holding positions; guide lines on the apron.
2	<i>RWY and TWY markings and LGT</i>	RWY - markings: color white; designation, THR, TDZ, centre line, aiming point, edges, RWY end marked as appropriate. - lights: runway edges lights, THR lights, runway end lights, wing bar lights, runway centerline lights, TDZ lights on RWY 27, STOPWAY lights on RWY 09. TWY E, W - markings: color yellow; centre line, runway holding position, edges, enhanced centerline, runway designator marking. - lights: centerline lights, taxiway edges lights, stop bar lights, runway guard lights. TWY N - markings: color yellow; centre line, edges. - lights: centerline lights, taxiway edges lights.
3	<i>Stop bars</i>	Red stop bars at all intersections of TWYs with RWY.
4	<i>Remarks</i>	Illuminated wind direction indicators are located adjacent to TDZ of RWY 27 and RWY 09.

**LRSV AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, MAG VAR Type of supported OPS ILS classification GBAS classification (For VOR/ILS/MLS give declination)	ID	Frequency / Channel	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna / ELEV of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
1	2	3	4	5	6	7	8
DVOR/DME (7°E/2020)	SC V	112.300 MHz CH 70X	H24	474020.4N 0262139.0E	1300 FT	NIL	Coverage 175NM (declared)
LOC 34 (7°E/2020) ILS CAT II (II.T.3)	ISV	110.100 MHz	H24	474159.4N 0262054.6E	NIL	NIL	Front course angle 5.19°
GP 34	-	334.400 MHz	H24	474053.3N 0262118.2E	NIL	NIL	GP angle 3.0° ILS RDH 54 FT
DME 34	ISV	CH 38X	H24	474053.4N 0262117.8E	1400 FT	NIL	NIL
GPS NPA	-	1575.420 MHz	H24	NIL	NIL	NIL	Transmitting antennas are satellite based. Maintained by the U.S. Department of Defense.
EGNOS LPV	-	1575.420 MHz	H24	NIL	NIL	NIL	Transmitting antennas are satellite based. Maintained by the European Satellite Services Provider - ESSP.

LRSV AD 2.20 LOCAL AERODROME REGULATIONS**1 Airport regulations****1.1 Procedures for acceptance**

- (1) Operations permitted only for aircraft with maximum code letter „D”. Mandatory route for code letter "D" aircraft is: for arrivals: RWY - TWY B - INS 05, and for departures: INS 05 - TWY B - RWY.
- (2) Prior to flight schedule, operators are asked to check the availability of ground handling services and parking space.
- (3) The declared capacity of the airport is 200 passengers / hour which can determine delays for overlapping of the possible flights that land at the airport. Operators will take measures to program the flights to prevent these situations, otherwise the flights will be delayed.
- (4) Changes in regular flight schedule are subject to prior permission of Airport Administration.
- (5) Nominating LRSV as alternate airport shall be made only with Airport Administration permission.

1.2 Aircraft Ground Movement

- (1) Pilots are requested to use minimum power when ground maneuvering.
- (2) Backtrack of ACFT CAT B, C, D (ICAO Annex 14) is permitted only using RWY turning bays.
- (3) Aircraft using parking stand 5 on APRON 1, in order to avoid the jet blast effect on people, aircraft and ground equipment, must perform taxiing on the apron with engine power as low as possible.

1 Reglementări de aeroport**1.1 Proceduri de admisibilitate**

- (1) Operațiuni permise pentru aeronave care au maxim litera de cod „D”. Ruta de rulare obligatorie pentru aeronavele de cod "D" este: pentru aterizări: RWY - TWY B - INS 05, iar pentru decolări: INS 05 - TWY B - RWY.
- (2) Înainte de programarea zborului operatorul trebuie să verifice disponibilitatea locurilor de parcare și a serviciilor handling.
- (3) Capacitatea declarată a aeroportului este de 200 de pasageri / oră, ceea ce poate determina întârzieri pentru suprapunerea posibilelor zboruri care aterizează pe aeroport. Operatorii vor lua măsuri pentru a programa zborurile pentru a preveni aceste situații, în caz contrar zborurile vor întârzia.
- (4) Modificări în programele de zbor ale operatorilor se pot face doar cu acordul administrației aeroportului.
- (5) Desemnarea LRSV ca aeroport de rezervă se face doar cu acordul administrației aeroportului.

1.2 Miscarea la sol a aeronavei

- (1) Pe perioada rulării la sol, piloților li se cere să țină motoarele aeronavei la putere minimă.
- (2) Backtrack pentru aeronavele de CAT B, C, D (ICAO Annex 14) folosind buzunarele de întoarcere ale RWY.
- (3) Aeronavele care utilizează poziția de parcare 5 de pe APRON 1, pentru evitarea efectului suflului motoarelor asupra persoanelor, aeronavelor și echipamentelor la sol, vor efectua rulajul pe platformă cu turația motoarelor cât mai redusă posibil.

1.3 Helicopters operation - Limitations

- (1) Helicopters have a designated parking position, on the Southern part of APRON 1.
- (2) Suceava TWR will inform helicopters about the parking position allocated by the apron administrator.
- (3) Helicopters:
 - a) will conduct the approach to the RWY and taxi from the RWY on TWY B to the designated parking position.
 - b) can taxi to the designated point on APRON 1 only when it is considered that the positioning and the generated air currents (air cushion) do not disrupt the safe performance of servicing activities, the other aircraft or vehicles on the apron.

1.4 Taxiing of aircraft on apron

- (1) Taxiing of aircraft on apron shall be carried out under the direction of marshaller.
- (2) Always the marshaller's signals prevail over the stand markings.
- (3) Code letter D aircraft (wingspan between 36 m and 51.9 m) will only be parked at stand 5.

1.5 Aircraft parking

- (1) Parking positions on APRON 1
 - stands 01-04: nose-in parking positions for code letter „C” (maximum 36.0 m wingspan)
 - stand 05 : parking position, for code letter „D” (maximum 52.0 m wingspan)
 - (2) Aircraft subject to an act of illegal intervention will be parked on the runway turning bay North area, which will be closed to traffic.
- ### 1.6 Aircraft exit from the stand
- (1) Aircraft code letter minimum C shall exit from stand only by *pushback*.
 - (2) Aircraft code letter maximum B, or aircraft code letter C with turboprop engines are permitted to exit from stand by *self-manoeuvering* only with aircraft guidance provided by marshaller.
 - (3) Only by exception, aircraft are permitted to exit from stand by *powerback* in case of operational necessity. Marshalling with wingwalker is mandatory.

1.3 Operarea elicopterelor - Limitări

- (1) Elicopterele au desemnată o poziție de parcare, în partea de sud APRON 1.
- (2) TWR Suceava va informa elicopterele despre poziția de parcare alocată de către administratorul platformei.
- (3) Elicopterele:
 - a) vor desfășura apropierea la RWY și vor rula de la RWY pe TWY B, către poziția de parcare alocată.
 - b) pot rula la punctul desemnat la APRON 1 numai atunci când se consideră că poziționarea și suflul generat (pernă de aer) nu perturbă desfășurarea în condiții de siguranță a activităților de deservire, celelalte aeronave sau vehicule aflate pe platformă.

1.4 Rularea aeronavei pe platformă

- (1) Rularea aeronavelor pe platformă se efectuează sub dirijarea dispecerului sol.
- (2) Semnalele dispecerului de sol prevalează întotdeauna asupra marcajelor standului.
- (3) Aeronavele cu litera de cod D (anvergura aripilor între 36 m și 51,9 m) vor fi parcate numai la standul 5.

1.5 Parcarea aeronavelor

- (1) Pozițiile de parcare de la APRON 1:
 - standuri 01-04: poziții de parcare nose-in, pentru aeronave cu litera de cod „C” (maximum 36,0 m anvergura aripilor);
 - stand 05: poziție de parcare pentru aeronave cu litera de cod „D” (maximum 52,0 m anvergura aripilor);
- (2) Aeronavele supuse unui act de intervenție ilicită vor fi parcate în zona buzunarului de Nord al pistei, care va fi închisă traficului.

1.6 Ieșirea aeronavelor din poziția de parcare

- (1) Ieșirea de la stand a aeronavelor literă de cod minimum C se face numai prin *pushback*.
- (2) Ieșirea de la stand a aeronavelor literă de cod maximum B, sau a aeronavelor literă de cod C cu motoare turbopropulsoare este permisă prin *self-manoeuvering* doar cu dirijarea aeronavei asigurată de dispecerul de sol.
- (3) În mod excepțional, ieșirea de la stand a aeronavelor este permisă prin *powerback* în caz de necesitate operațională. Este obligatorie dirijarea aeronavei de dispecerul de sol asistat de wingwalker

LRSV AD 2.21 NOISE ABATEMENT PROCEDURES

On Ground

ATC will approve engine ground operation only at idle speed.

La sol

ATC va aproba folosirea la sol a motoarelor doar la relanti/idle power.

LRSV AD 2.22 FLIGHT PROCEDURES

1. LOW VISIBILITY PROCEDURES - LVP

1.1 Runway and associated equipment authorised for use under low visibility procedures

- 1.1.1 Runway 34 is equipped with ILS and is approved for CAT II operations (DH less than 60M, but not less than 30M; RVR not less than 300m).
- 1.1.2 The Runway is approved for LVTO on both directions, 16 and 34 respectively.

1. PROCEDURI ÎN CONDIȚII DE VIZIBILITATE REDUSĂ - LVP

1.1 Pista și echipamentele asociate autorizate pentru utilizare în cadrul procedurilor de vizibilitate redusă

- 1.1.1 Pista 34 este echipată cu ILS și autorizată pentru desfășurarea operațiunilor CAT II (DH mai mică de 60 m dar nu mai mică de 30 m, și RVR nu mai mic de 300 m).
- 1.1.2 Pista este autorizată pentru LVTO pe ambele direcții, respectiv 16 și 34.

1.2 Defined meteorological conditions (criteria) under which initiation, use and termination of low visibility operations would be made

1.2.1. The preparation phase will be commenced when the RVR is 800m or cloud ceiling is 500ft and CAT II operations are expected.

1.2.2. The initiation phase will be commenced for:

a) Approach and landing, when the RVR falls below 550m or cloud ceiling is 200ft or less;

b) Take-off - LVTO, when RVR falls below 550m.

1.2.3. LVP will be terminated when RVR is greater than 800m and cloud ceiling is greater than 300ft and a continuing improvement of these conditions is expected.

1.3 Description of ground marking/lighting for use under low visibility procedures

1.3.1 Runway exits are equipped with green/yellow coded taxiway centerline lights.

1.4 Remarks

1.4.1. Taxiing from apron to TWY:

On request, taxiing from apron to runway holding position may be performed following the Marshaller signals, that will use red marshalling wands, until the intersection of the apron with taxiway A, from which point the aircraft will observe: the runway holding position, the STOP BAR and the taxiway's green centerline lights.

1.4.2. Taxiing from TWY to Apron: On request, marshalling services will be provided by 2 marshallers/authorized ramp agents that will be positioned at an intermediate point of the route and at a safe distance. The aircraft will be guided to the allocated parking stand by using red marshalling wands.

1.4.3. During LVO procedures, backtrack of all aeroplanes after landing on RWY16/34 is permitted only using the turning bay.

1.4.4. Operations in simulated low visibility conditions may be requested by the pilot with at least 20 minutes prior the estimated time of departure (ETD) / estimated time of arrival (ETA).

1.4.5. In low visibility conditions, operations on Apron 2 and TWY D are forbidden.

1.2 Condiții meteorologice stabilite (criterii) pentru pregătirea, utilizarea și finalizarea procedurilor în condiții de vizibilitate redusă

1.2.1. Faza de pregătire se va declanșa atunci când RVR are valoarea de 800m sau plafonul norilor este de 500ft și este prevăzută declanșarea procedurilor CAT II.

1.2.2. Faza operațională se va declanșa pentru:

a) Apropiere și aterizare, atunci când valoarea RVR scade sub 550m sau plafonul norilor are valoarea de 200ft sau mai puțin.

b) Decolare - LVTO, când RVR scade sub 550m.

1.2.3. Procedurile LVP vor înceta atunci când valoarea RVR crește peste 800m și plafonul norilor crește peste 300ft și este anticipată îmbunătățirea continuă a acestor condiții.

1.3 Detalii privind rularea

1.3.1 Racordurile pistei cu căile de rulare sunt echipate cu lumini axiale codificate verde/galben.

1.4 Observații

1.4.1. Rularea aeronavelor pe platforma spre TWY:

La cerere, în cazul rulării de la platformă spre poziția de așteptare la pistă, aeronava va fi dirijată de către Dispecer sol, utilizând bastoane luminoase de culoare roșie, până la intersecția platformei cu calea de rulare, punctul din care aeronava are în câmpul vizual: poziția de așteptare la pistă, iluminată cu STOP BAR și luminile verzi ale axialului căii de rulare.

1.4.2. Rularea aeronavelor pe platforma spre locul de parcare: Dacă situația impune, Dispecerul dirijare la sol va fi dublat de un alt Dispecer sol, poziționat într-un punct intermediar al traseului de urmat, la o distanță de siguranță. Aeronava va fi ghidată până la poziția de parcare alocată, utilizând bastoane luminoase de culoare roșie.

1.4.3. În timpul procedurilor LVP, întoarcerea pe pistă a tuturor aeronavelor după aterizarea pe pista 16/34 este permisă numai utilizând platforma de întoarcere

1.4.4. Operarea în condiții simulate de vizibilitate redusă poate fi solicitată de către pilot cu minimum 20 min înainte de ora: minutul estimat de decolare (ETD) / ora: minutul estimat de aterizare (ETA).

1.4.5. În condiții de vizibilitate redusă, operarea pe platforma 2 și calea de rulare D sunt interzise.

LRSV AD 2.23 ADDITIONAL INFORMATION**(1) Warning Bird flocks**

Bird flocks are flying within airport area during the whole year, but culminates between May and September. Usually their flight is crossing runway, heading from East to West and vice versa. Species more often observed and monitored: vulture, sparrow, starlings and occasionally seagulls and crows. Caution advised when taking-off and landing.

(2) Accidentally immobilized aircraft removal

2.1 Suceava Airport does not have equipment and machinery for removing aircraft accidentally immobilized on the movement surface and the adjacent safety areas.

2.2 Air Operators are responsible for the removal of aircraft accidentally immobilized on the movement surface and adjacent safety surfaces.

2.3 Suceava Airport can provide airlines with contact details of companies that have equipment and machinery necessary for removal operations

(1) Avertizare stoluri de păsări

Stolurile de păsări zboară în zona aeroportului pe tot parcursul anului, dar culminează în perioada Mai-Septembrie. În mod obișnuit, zborul lor traversează pista, îndreptându-se de la Est la Vest și invers. Specii mai des observate și monitorizate: vânturel, vrabie, grauri și ocazional pescăruși și ciori. Se recomandă precauție la decolare și aterizare.

(2) Îndepărtare aeronave imobilizate accidental

2.1 Aeroportul Suceava nu dispune de echipamente și utilaje de înlăturare a aeronavelor imobilizate accidental pe suprafața de mișcare și benzile de siguranță adiacente.

2.2 Operatorii Aerieni sunt răspunzători de înlăturarea aeronavelor imobilizate accidental pe suprafața de mișcare și benzile de siguranță adiacente.

2.3 Aeroportul Suceava poate pune la dispoziție operatorilor aerieni date de contact ale firmelor ce dețin echipamente și utilaje necesare operațiunilor de îndepărtare.



LRSV AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO	AD 2.14-20
Aircraft Parking/Docking Chart - ICAO - APRON 1.....	AD 2.14-22
Aircraft Parking/Docking Chart - ICAO - APRON 2.....	AD 2.14-23
Aerodrome Obstacle Chart - ICAO - Type A	
RWY 16/34.....	AD 2.14-25
Precision Approach Terrain Charts - ICAO	
RWY 34.....	AD 2.14-29
Standard Departure Charts - ICAO	
RWY 16.....	AD 2.14-30
RWY 34.....	AD 2.14-31
Instrument Approach Charts - ICAO	
ILS or LOC Z RWY 34.....	AD 2.14-51
ILS or LOC Y RWY 34	AD 2.14-52
RNP RWY 16	AD 2.14-71
RNP RWY 34	AD 2.14-72
VOR Z RWY 16.....	AD 2.14-81
VOR Y RWY 16	AD 2.14-82
VOR Z RWY 34.....	AD 2.14-83
VOR Y RWY 34	AD 2.14-84

LRSV AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Not applicable

LRTC AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	TULCEA
2	Hours of service MET Office outside hours	As ATS
3	Office responsible for TAF preparation Periods of validity Interval of issuance	LROM 9 HR 3 HR, during aerodrome operational hours
4	Type of landing forecast Interval of issuance	NIL -
5	Briefing / consultation provided	Self-briefing; briefing/consultation on request (see row 8)
6	Flight documentation Language(s) used	Charts, tabular form, abbreviated plain language text Romanian, English
7	Charts and other information available for briefing or consultation	SWC, W/T Charts, SIGMET, METAR, TAF.
8	Supplementary equipment available for providing information	Tel: +40-(0)240-511420 Fax: +40-(0)240-511420
9	ATS units provided with information	TULCEA TWR
10	Additional information (limitation of service, etc.)	NIL

LRTC AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord		THR elevation and highest elevation of TDZ of precision	Slope of RWY-SWY	
				RWY end coord	THR geoid undulation	APP RWY		
1	2	3	4	5		6	7	
34	347.53°	2060 x 45	61/F/C/W/T Asphalt	450314.96N	GUND 105 FT	THR 137.7 FT	1.4% (517 M)	
				0284301.80E		TDZ 175.2 FT		1.7% (544 M)
				450417.99N		0.9% (306 M)		
				0284242.13E		0.6% (693 M)		
16	167.53°	2060 x 45	61/F/C/W/T Asphalt	450417.99N	GUND 105 FT	THR 200.0 FT	-0.6% (693 M)	
				0284242.13E		-0.9% (306 M)		
				450312.83N		-1.7% (544 M)		
				0284302.47E		-1.4% (517 M)		
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		OFZ	Remarks	
8	9	10	11	12		13	14	
NIL	60 x 180	2180 x 280	228 x 150	NIL		NIL	Threshold displaced from the end of the runway by 67M. Slope on first quarter of RWY 34 exceeding 0.8%	
NIL	285 x 180	2180 x 280	228 x 150	NIL		NIL	NIL	

LRTC AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
34	2060	2120	2060	1993	NIL
16	2060	2345	2060	2060	NIL

LRTC AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type	THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour	SWY LGT LEN(M) colour	Remarks
	INTST	WBAR	PAPI	LEN	colour, INTST	colour, INTST	WBAR	colour	
1	2	3	4	5	6	7	8	9	10
34	ALS-II 900M, LIH	Green WBAR	PAPI Left/3° (48 FT)	White, 900M	1080M, 15M, White, LIH 600M, 15M, White/Red, LIH 313M, 15M, Red, LIH	1380M, 60M, White, LIH 613M, 60M, Yellow, LIH	Red -	NIL	RWY 34 edge red 67M can be seen only to approach 180° turn path lighting at THR 34
16	SALS 420M, LIH	Green WBAR	PAPI Left/3° (45 FT)	NIL	1153M, 15M, White, LIH 600M, 15M, White/Red, LIH 307M, 15M, Red, LIH	1453M, 60M, White, LIH 607M, 60M, Yellow, LIH	Red -	NIL	180° turn path lighting at THR 16

LRTC AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	Landing direction indicator 337.5m FM THR 16 Landing direction indicator 337.5m FM THR 34 NIL
3	TWY edge and centre line lighting	TWY edge blue omnidirectional lights LIL, LED. TWY centre line green/green, yellow/green lights, LED.
4	Secondary power supply/switch-over time	Secondary power supply to all lighting on the AD; Switch-over time 1 SEC.
5	Remarks	NIL

LRTC AD 2.16 HELICOPTER LANDING AREA

1	Co-ordinates TLOF or THR of FATO Geoid undulation	NIL NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRTC AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	TULCEA CTR 451745N 0284737E - 450000N 0290557E - 444958N 0283922E - 445424N 0282723E - 451644N 0282959E - FIR boundary - 451745N 0284737E
2	Vertical limits	SFC to FL65
3	Airspace classification	C
4	ATS unit call sign Language(s)	Tulcea Tower English, Romanian
5	Transition altitude	3000 FT AMSL
6	Hours of applicability	W: 0530-1730 S: 0430-1630
7	Remarks	1. CTR established during hours of operation of ATS. See NOTAMs for changes. 2. Outside hours of operation of ATS airspace classification is G. 3. Outside hours of operation of ATS it is recommended to monitor Tulcea TWR FREQ and check on FIS FREQ about CTR status.

LRTC AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel/ Frequency	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
APP/TWR	Tulcea Tower	119.755 120.300 MHz ALTN 121.500 MHz EMERG	NIL	NIL	As ATS	Exempted 8.33 kHz State aircraft.

LRCAD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRCAD - CISNĂDIE / Măgura

LRCAD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	454414N 0240955E , Runway centre
2	Direction and distance from city	170°, 6 km from Sibiu / 023°, 3 km from Cisnădie
3	Elevation/Reference temperature	1524 FT (463.5 M) / 27.6°C
4	Geoid undulation at AD ELEV PSN	120 FT
5	MAG VAR/ Annual rate of change	6°E (2020) / 7°E
6	AD Administration, address, telephone, telefax, e-mail, AFS, website	SC ARIPILE MĂGURII, str. Șelimbărulei nr.34, mun. Cisnădie, jud. Sibiu Tel: +40-(0)723-554792, +40-(0)744-574573 Fax: +40-(0)269-563373 E-mail: dancobuz@yahoo.com Website: - AFS: - SITA: -
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRCAD 2.3 OPERATIONAL HOURS

1	AD Administration	HX
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	H24
11	De-icing	NIL
12	Remarks	Aerodrome operated under PPR condition (Prior Permission Required) submitted on WhatsApp (+40-(0)0723-554792). Services are available ON REQUEST submitted with 24 hours in advance.

LRCAD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	250 M ² , maximum height 4 M
6	Repair facilities for visiting aircraft	Ultralights
7	Remarks	OPC frequency 131.405 MHZ, call sign "Magura Dispatch"

LRCAD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels, hostels and motels in Sibiu and Cisnădie
2	Restaurants	Snack bar on the AD Catering services on request Restaurants in Sibiu and Cisnădie
3	Transportation	"Rent-a-car" service on request, taxis from Sibiu and Cisnădie
4	Medical facilities	Hospitals in Sibiu and Cisnădie
5	Bank and Post Office	In Sibiu and Cisnădie
6	Tourist Office	Tourist Info-Center on the AD
7	Remarks	NIL

LRCAD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR : CAT 1
2	Rescue equipment	One car, rescue equipment, 350 l foam and dry chemical powder
3	Capability for removal of disabled aircraft	One car only for Ultralights
4	Remarks	Rescue and fire fighting services are available only ON REQUEST submitted with 24 hours in advance . If the services are not available the flight operations can be done by taking the risks (on their own responsibility of the pilot).

LRCAD AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	1 tractor with blade
2	Clearance priorities	1. RWY 14/32 2. TWYs A, B 3. APRONS A, B
3	Remarks	Information about snow clearance on request , available by phone

LRCAD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Surface: Grass + concrete Strength: 5700 kg
2	Taxiway designation, width, surface and strength	Width: TWY A 8 M TWY B 8 M Surface: Grass Grass Strength: 5700 kg 5700 kg
3	ACL location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRCAD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs on TWY and RWY Signs at holding position
2	RWY and TWY markings	RWY: Designation, edge marked (red, yellow, white). TWY: Designation, edge marked.
3	Stop bars	NIL
4	Remarks	NIL

LRCAD AD 2.10 AERODROME OBSTACLES

In approach / TKOF areas			In circling area and at AD		Remarks
1			2		
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
NIL	NIL	NIL	NIL	NIL	NIL

LRCAD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

LRCAD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
14	150.19°	600 x 22	5700Kg, Grass	454422.30N 0240947.85E —	THR 1517 FT
32	330.19°	600 x 22	5700 Kg, Grass	GUND 127 FT 454405.43N 0241001.65E — GUND 127 FT	THR 1524 FT
Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
1.2% (200 M)	-	-	660 x 60	NIL	NIL
-1.1% (150 M)	-	-	660 x 60	NIL	NIL

LRCAD AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
14	600	600	600	600	NIL
32	600	600	600	600	NIL

LRCAD AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCAD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRCAD AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRCD AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	NIL
2	<i>Vertical limits</i>	NIL
3	<i>Airspace classification</i>	NIL
4	<i>ATS unit call sign Language(s)</i>	NIL
5	<i>Transition altitude</i>	NIL
6	<i>Hours of applicability</i>	NIL
7	<i>Remarks</i>	NIL

LRCD AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel/ Frequency</i>	<i>SATVOICE</i>	<i>Logon address</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCD AD 2.20 LOCAL AERODROME REGULATIONS

Outside of scheduled hours, visiting aircraft may use the aerodrome at their own risk using the following self-manoeuvring procedure:

- Approach flight on TWR SIBIU frequency to the aerodrome ARP (454414N 0240955E) at 2500 FT QNH looking towards the signal area where the windsock and the mobile T are located.
- Depending on the wind direction indicated by the windsock and the mobile T, choose landing direction with RWY 14/32 in service for landing headwind.
- With RWY 32 in service, after landing the runway is vacated on TWY A (main) or B (backup) using guidance signs, the aircraft is taxied by engine to the red line marked on the ground before the APRON (A or B).
- With RWY 14 in service, after landing the aircraft will backtrack then the runway is vacated on TWY A (main) or B (backup), the aircraft is taxied by engine to the red line marked on the ground before the APRON (A or B).
- With the engine off, manually maneuver the aircraft to one of the parking positions indicated by the panels (A1 or A2, respectively B1 or B2).
- Turn the aircraft with the nose into the wind and secure using the ground anchors and straps.
- For departure, the aircraft is manually moved from the parking space to outside the APRON where the engine is started.
- Taxi on taxiway A or B for RWY in use 14 or 32 (depending on the wind direction indicated by the windsock) so as to take-off with the headwind.
- The line-up is performed after a careful check of the area so that there is no traffic or obstacles on the landing slope or RWY.

În afara orelor de program, aeronavele vizitatoare pot utiliza aerodromul pe propriul risc, utilizând următoarea procedură de auto-manevră:

- Zbor de apropiere pe frecvența TWR SIBIU către ARP-ul aerodromului (454414N 0240955E) la 2500 FT QNH privind spre zona de semnalizare unde se află maneca de vânt și T-ul mobil.
- În funcție de direcția vântului indicată, se alege direcția de aterizare cu RWY 14/32 în serviciu pentru aterizarea cu vânt din față.
- Cu RWY 32 în serviciu, după aterizare se eliberează pista pe TWY A (principală) sau B (de rezervă) folosind panourile de ghidare, aeronava este rulată cu motorul până la linia roșie marcată pe sol înainte de APRON (A sau B).
- Cu RWY 14 în serviciu, după aterizarea aeronavei se executa back-track, apoi pista este eliberată pe TWY A (principală) sau B (de rezervă), aeronava este rulată cu motorul până la linia roșie marcată pe sol înainte de APRON (A sau B).
- Cu motorul oprit, se manevrează manual aeronava către una dintre pozițiile de parcare indicate de panouri (A1 sau A2, respectiv B1 sau B2).
- Se întoarce aeronava cu botul în direcția vântului și se fixează folosind ancorele și chingile de la sol.
- Pentru plecare, aeronava este mutată manual din locul de parcare în afara APRON unde se pornește motorul.
- Se rulează pe TWY A sau B pentru pista în serviciu 14 sau 32 (în funcție de direcția vântului indicată de manșa de vânt) astfel încât să se decoleze cu vânt din față.
- Alinierea se efectuează după o verificare atentă a zonei, astfel încât să nu existe trafic sau obstacole pe panta de aterizare sau pe RWY.



LRCD AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRCD AD 2.22 FLIGHT PROCEDURES

- NIL -

LRCD AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRCD AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart – ICAO	AD 2.18-20
Visual Operations Chart - RWY 14/32 Aerodrome traffic circuit	AD 2.18-40

LRPW AD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRPW - PLOIEȘTI / Gheorghe Valentin Bibescu - Ploiești

LRPW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	445525N 0255748E, runway center
2	Direction and distance from city	081°, 2 km from Ploiesti / 261°, 0.5 km from Strejnicu
3	Elevation/Reference temperature/Mean low temperature	573 FT / 29°C / -5°C
4	Geoid undulation at AD ELEV PSN	111 FT
5	MAG VAR/ Annual rate of change	6°E (2021) / 7°E
6	AD Operator, address, telephone, telefax, e-mail, AFS, website	AD G.V. Bibescu - Ploiești, Village Strejnicu, No. 6, CP 107592, District Târgușoru Vechi, County Prahova, Romania Tel: +40-(0)244-482014 Fax: +40 (0)244 482095 e-mail: info@aviationacademy.ro; aerodrome@aviationacademy.ro website: lrpw.ro
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRPW AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON-FRI W: 0600-1400 S: 0400-1200 SAT and SUN at writing request within 48 hours before.
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	NIL

LRPW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	1024M ² , maximum height 12.5 M
6	Repair facilities for visiting aircraft	NIL
7	Remarks	OPC (Operational Control) channel 131.455.

LRPW AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels and motels in the city.
2	Restaurants	Restaurants in the city.
3	Transportation	Taxis and rent-a-car in the city
4	Medical facilities	Hospitals in the city.
5	Bank and Post Office	In the city.
6	Tourist Office	In the city.
7	Remarks	NIL

LRPW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR: CAT 2
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

LRPW AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	Types of clearing equipment	1 tractor with snow ploughs, 1 turbine, 1 towed sweepers
2	Clearance priorities	1. RWY 07/25 2. TWY 3. Apron 4. Heliport
3	Use of material for movement area surface treatment	NIL
4	Specially prepared winter runways	NIL
5	Remarks	Information about Runway surface condition in Global Reporting Format published by SNOWTAM. See also the snow plan in section AD 1.2.2.

LRPW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Surface: Concrete Strength: 5700 Kg
2	Taxiway designation, width, surface and strength	Designation: A B C D E Width: 11 M 11 M 11 M 11 M 11 M Surface: Asphalt Asphalt Asphalt Asphalt Grass Strength: 5700 Kg 5700 Kg 5700 Kg 5700 Kg 5700 Kg
3	ACL location and elevation	Location: THR 07 THR 25 Elevation: 573 FT 565 FT
4	VOR checkpoints	NIL
5	INS checkpoints	See Aircraft Parking/Docking Chart, AD 2.19-22.
6	Remarks	NIL

LRPW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	Taxiing guidance signs at all intersections with TWYs and RWY and at all holding positions. Guide lines at apron. Nose-out guidance at aircraft stands. Parking assisted by marshallers at all parking stands (01-05).
2	RWY and TWY markings and LGT	RWY: - markings: color white - designation, THR, TDZ, centre line, RWY side stripes, aiming points; - lights: THR lights, end lights, edge lights. TWY: - markings: color yellow – Runway Holding Position (RHP) markings and enhanced centre line marking on TWY A, C, NO ENTRY markings on Exit TWY B, centre line, TWY designations, intermediate holding position and designation markings at TWYs intersections, taxiing guide lines (apron); - lights: blue edge, guard lights (LIH) at Runway Holding Position (RHP) on TWY A and TWY C and on the Exit TWY B. Stop bar at Runway Holding Position (RHP) on TWY A, TWY C and on the Exit TWY B.
3	Stop bars and runway guard lights	Red stop bars at all intersections of TWYs with RWY and NO ENTRY bar on TWY B.
4	Other runway protection measures	NIL
5	Remarks	See Aerodrome Ground Movement Chart, AD 2.19-21.

LRPW AD 2.10 AERODROME OBSTACLES

In approach / TKOF areas			In circling area and at AD		Remarks
1			2		
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	NIL
a	b	c	a	b	
To be developed.					

LRPW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	BANEASA
2	Hours of service MET Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	Met staff consultation
6	Flight documentation Language(s) used	Charts, tabular form, abbreviated plain language text Romanian/English
7	Charts and other information available for briefing or consultation	On request
8	Supplementary equipment available for providing information	Tel: +40-(0)244-482478 Fax: +40-(0)244-482477
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

LRPW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY	
1	2	3	4	5	6	7	
07	080.66°	750 x 30	5700 kg Asphalt	445523.27N 0255731.49E 445527.22N 0255805.23E GUND 111 FT	THR 573 FT	-0.33%	
25	260.66°	750 x 30	5700 kg Asphalt	445527.22N 0255805.23E 445523.27E 0255731.49E GUND 111 FT	THR 565 FT	0.33%	
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		OFZ	Remarks
8	9	10	11	12	13	14	
NIL	NIL	810 x 60	NIL	NIL	NIL	NIL	NIL
NIL	NIL	810 x 60	NIL	NIL	NIL	NIL	NIL

LRPW AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
07	750	750	750	750	NIL
25	750	750	750	750	NIL

LRPW AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
07	NIL	Green	PAPI Left/3°	NIL	NIL	500 M, 50 M, White, LIH 250 M, 50 M, Yellow, LIH	Red	NIL	NIL
25	NIL	Green	PAPI Left/3°	NIL	NIL	500 M, 50 M, White, LIH 250 M, 50 M, Yellow, LIH	Red	NIL	NIL

LRPW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN / IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	TWY A, B, C, D Edge Blue.
4	<i>Secondary power supply/switch-over time</i>	Secondary power supply to all lighting on the AD, 15 sec.
5	<i>Remarks</i>	Apron floodlights and edges blue.

LRPW AD 2.16 HELICOPTER LANDING AREA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	445544.20N 0255739.30E 111 FT
2	<i>TLOF and/or FATO elevation FT/M</i>	579 FT / 177 M
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	24 x 24, concrete, 5700 kg, marking H and FATO
4	<i>True and MAG BRG of FATO</i>	093.21° / 273.21°
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

LRPW AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	NIL
2	<i>Vertical limits</i>	NIL
3	<i>Airspace classification</i>	NIL
4	<i>ATS unit call sign Language(s)</i>	NIL NIL
5	<i>Transition altitude</i>	NIL
6	<i>Hours of aplicability</i>	NIL
7	<i>Remarks</i>	NIL

LRPW AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
NIL	NIL	NIL	NIL	NIL

LRPW AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRPW AD 2.20 LOCAL AERODROME REGULATIONS

No more than 5 aircraft in aerodrome traffic circuit.

Nu mai mult de 5 aeronave în tur de pistă.

LRPW AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRPW AD 2.22 FLIGHT PROCEDURES

- NIL -

**LRHR AD 2.1 AERODROME LOCATION INDICATOR AND NAME**
LRHR – GHEORGHENI / Remetea**LRHR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	464909N 0252442E, runway centre
2	<i>Direction and distance from city</i>	Located in the suburbs of Remetea, in its northern part, 5.3 km from the center of the village
3	<i>Elevation/Reference temperature/Mean low temperature</i>	2575 FT / 17,6 °C / -
4	<i>Geoid undulation at AD ELEV PSN</i>	129 FT
5	<i>MAG VAR/ Annual rate of change</i>	6°E (2021) / 6.6°E
6	<i>Name of AD operator, address, telephone and telefax numbers, e-mail address, AFS address, website address</i>	SC REMETE AIR FLY SRL Comuna Remetea, CF nr. 63123 Remetea, nr. cadastral 63123, Judet Harghita Tel: +40 759 990 289 E-mail:office@remeteairfly.ro
7	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
8	<i>Remarks</i>	NIL

LRHR AD 2.3 OPERATIONAL HOURS

1	<i>AD Operator</i>	HX
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	NIL
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	NIL
8	<i>Fuelling</i>	NIL
9	<i>Handling</i>	NIL
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	Outside AD operational hours services are available on request, submitted to the AD not later than 24 hours in advance. Basic weather informations are available on request by the AD Operator.

LRHR AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo-handling facilities</i>	NIL
2	<i>Fuel/Oil types</i>	NIL
3	<i>Fuelling facilities/capacity</i>	NIL
4	<i>De-icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	OPC (Operational Control) on 131.460.

LRHR AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Hotels in Gheorgheni, Pensions in Remetea
2	<i>Restaurants</i>	Restaurants in Gheorgheni
3	<i>Transportation</i>	Bus from Gheorgheni to Remetea and return, taxi from Gheorgheni
4	<i>Medical facilities</i>	Hospital in Gheorgheni, Fist aid service in Remetea
5	<i>Bank and Post Office</i>	Remetea and Gheorgheni
6	<i>Tourist Office</i>	Tourist Info Center in Remetea and Gheorgheni
7	<i>Remarks</i>	NIL

LRHR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	Within AD HR: CAT 5.
2	<i>Rescue equipment</i>	One fire truck, foam, and dry chemical powder
3	<i>Capability for removal of disabled aircraft</i>	Tractor
4	<i>Remarks</i>	NIL

LRHR AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	Types of clearing equipment	Unimog with plough, brush and spreader
2	Clearance priorities	1. RWY 09/27 2. TWY A, B 3. APRON 1, APRON 2 4. Other surfaces
3	Use of material for movement area surface treatment	Fluids and Solid materials used for RWY de/anti-icing
4	Specially prepared winter runways	NIL
5	Remarks	Information on RWY surface condition in Global Reporting Format is published by SNOWTAM. Other information on the progress of the snow removal and the conditions of the movement area: Tel.: +40 759 990 289

LRHR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Designation	APRON 1	APRON 2
		Surface	Concrete	Concrete
		Strength	PCR 410/R/C/W/T	PCR 410/R/C/W/T
2	Taxiway designation, width, surface and strength	Designation	TWY A	TWY B
		Width	18 M	15 M
		Surface	Concrete	Concrete
		Strength	PCR 410/R/C/W/T	PCR 410/R/C/W/T
3	Altimeter checkpoints location and elevation	NIL		
4	VOR checkpoints	NIL		
5	INS checkpoints	NIL		
6	Remarks	In emergency situation, stand 1 is assigned as isolated aircraft position		

LRHR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	Guidance markings to each apron stand consist of a yellow continuous line. APRON 1: Stand 1 APRON 2: Stand 2, 3 Signals on holding points. Taxi guides on TWY and RWY.
2	RWY and TWY markings and LGT	RWY: -markings: Color white: Designation, center line, edges, aiming point, Color yellow: Turn pad markings; -lights: NIL TWY: -markings: Colour yellow: Centre line, edges, taxi holding position; -lights: NIL
3	Stop bars and runway guard lights	NIL
4	Other RWY protection measure	NIL
5	Remarks	NIL

LRHR AD 2.10 AERODROME OBSTACLES

In Area 2						
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks	
a	b	c	d	e	f	
LRHR_1	ANTENNA	465409.7N 0252712.3E	2979/88 FT	NIL	NIL	
LRHR_4	BUILDING	465008.4N 0252313.0E	2772/46 FT	NIL	NIL	
LRHR_107	TREE	464850.9N 0252504.9E	2553/67 FT	NIL	NIL	
LRHR_108	TREE	464850.3N 0252514.0E	2542/68 FT	NIL	NIL	
LRHR_109	TREE	464850.2N 0252513.0E	2548/73 FT	NIL	NIL	
LRHR_173	TREE	464850.0N 0252448.3E	2583/81 FT	NIL	NIL	
LRHR_194	ANTENNA	465058.3N 0252823.6E	2909/104 FT	NIL	NIL	
LRHR_248	POLE	465323.2N 0252902.6E	2926/111 FT	NIL	NIL	

a	b	c	d	e	f
LRHR 250	POLE	465327.5N 0252913.4E	3190/117 FT	NIL	NIL
LRHR 251	POLE	465325.1N 0252909.8E	3071/94 FT	NIL	NIL
LRHR 252	POLE	465333.3N 0252921.8E	3317/117 FT	NIL	NIL
LRHR 338	POLE	464750.8N 0252412.3E	2677/73 FT	NIL	NIL
LRHR 361	POLE	464851.3N 0252509.7E	2560/75 FT	NIL	NIL
LRHR 751	NATURAL HIGHPOINT	464814.1N 0253151.0E	3127/ - FT	NIL	NIL
LRHR 800	NATURAL HIGHPOINT	465307.4N 0252947.9E	3632/66 FT	NIL	NIL
LRHR 896	NATURAL HIGHPOINT	465201.8N 0251919.6E	3721/98 FT	NIL	NIL
LRHR 910	NATURAL HIGHPOINT	464859.3N 0251820.4E	4974/115 FT	NIL	NIL
LRHR 912	NATURAL HIGHPOINT	464823.2N 0252146.2E	3553/82 FT	NIL	NIL
LRHR 913	NATURAL HIGHPOINT	464544.9N 0252043.7E	4601/115 FT	NIL	NIL
LRHR 914	NATURAL HIGHPOINT	464703.6N 0252049.4E	4094/98 FT	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

LRHR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

LRHR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designator	TRUE BRG	Dimensions of RWY (M)	Strength (PCR) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
09	092.57°	1100 X 30	410/R/C/W/T Concrete	464910.15N 0252416.06E 464908.56N 0252507.91E GUND 129 FT	THR 2575 FT	-1,85% (40M) -1,35% (60M) -1,5% (120M) -1,65% (780M) -1,95% (100M)
27	272.56°	1100 X 30	410/R/C/W/T Concrete	464908.56N 0252507.91E 464910.15N 0252416.06E GUND 129 FT	THR 2513 FT	1,95% (100M) 1,65% (780M) 1,5 % (120M) 1,35% (60M) 1,85% (40M)
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		Remarks
8	9	10	11	12	13	14
NIL	180 x 150	1220 x 140	120 x 60	NIL	NIL	NIL
NIL	NIL	1220 x 140	120 x 60	NIL	NIL	NIL



LRHR AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
09	1100	1280	1100	1100	NIL
27	1100	1100	1100	1100	NIL

LRHR AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type		THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT	RWY edge LGT LEN, spacing,	RWY End LGT colour	SWY LGT LEN (M) colour	Remarks	
	1	2				3	4	5	6		7
											NIL

LRHR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRHR AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRHR AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Hours of applicability	NIL
7	Remarks	NIL

LRHR AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel(s)	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
NIL						

AERODROME CHART - ICAO

46°49'09" N
025°24'42" E


OPC 131.460

GHEORGHENI / Remetea (LRHR)

ELEV 2575 FT


Changes: Bearing Strength.

ELEVATIONS IN FEET
DIMENSIONS IN METRES




RWY	DIRECTION	THR	BEARING STRENGTH
09	086°	46°49'10"N 025°24'16"E	PCR 410/R/C/W/T
27	266°	46°49'09"N 025°25'08"E	PCR 410/R/C/W/T
HELIPORT			

APRON	PCR 410/R/C/W/T CONCRETE	TAXIWAY A 18 m WIDE
TWY	PCR 410/R/C/W/T CONCRETE	TAXIWAY B 15 m WIDE



1:8000



LEGEND	
	ARP
	WIND DIRECTION INDICATOR (WDI)
	BUILDINGS

**LRCR AD 2.1 AERODROME LOCATION INDICATOR AND NAME**
LRCR - BRAȘOV / Corona**LRCR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	454051N 0254442E, RWY centre.
2	Direction and distance from city	075°, 11 KM from Brașov
3	Elevation/Reference temperature/mean low temperature	1880 FT / 12.7°C / -17.5°C
4	Geoid undulation at AD ELEV PSN	124 FT
5	MAG VAR/ Annual rate of change	6°E (2022) / 7°E
6	AD Operator, address, telephone, telefax, telex, AFS	SC INMAACRO SRL SACELE, Str. AVRAM IANCU, nr. 86, jud. BV Mobil: (+4) 0722.361251 E-mail: dan.popescu@inmaacro.com
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRCR AD 2.3 OPERATIONAL HOURS

1	AD Operator	HX
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	HX
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	H24 / Surveillance Cameras and Alert System
11	De-icing	NIL
12	Remarks	Services available on request submitted to AD with 24 hours in advance

LRCR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	500 M ² (for 6 ultralights), maximum entrance height 3.0 M.
6	Repair facilities for visiting aircraft	Only for ultralights.
7	Remarks	OPC on 131.490 Services are available on request submitted to the AD with 24 hours in advance.

LRCR AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels in Brașov, hostel & pension in Prejmer
2	Restaurants	Restaurants in Brașov / Snack bar on the AD / Catering services on request
3	Transportation	Local bus / Taxi / "Rent-a-car" service on request.
4	Medical facilities	In Brașov
5	Bank and Post Office	In Brașov
6	Tourist Office	InfoPoint at the AD
7	Remarks	NIL

LRCR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2 / Within AD operational hours (on request)
2	Rescue equipment	One firetruck, rescue equipment, foam and dry chemical powder
3	Capability for removal of disabled aircraft	One car only for Ultralights
4	Remarks	NIL

LRCR AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	Types of clearing equipment	1 tractor with blade
2	Clearance priorities	1. Access road 2. RWY 17/35 3. APRON
3	Use of material for movement area surface treatment	NIL
4	Specially prepared winter runways	NIL
5	Remarks	Information about snow clearance on request, available by phone.

**LRCR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron designation, surface and strength	Surface: Concrete Strength: 5700kg
2	Taxiway designation, width, surface and strength	NIL
3	ACL location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRCR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	Ground marking for stand 01
2	RWY and TWY markings and LGT	RWY -Markings : Designation -Lights : NIL
3	Stop bars and runway guard lights	NIL
4	Other RWY protection measure	NIL
5	Remarks	Direct access from APRON to RWY via grass strip

LRCR AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

LRCR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL



LRCR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY	
1	2	3	4	5	6	7	
17	177.57°	625 x 23	5700 Kg Grass	454101.14N 0254441.38E 454040.90N 0254442.61E GUND 124 FT	THR 1850 FT	1.46%	
35	357.57°	625 x 23	5700 Kg Grass	454040.90N 0254442.61E 454101.14N 0254441.38E GUND 124 FT	THR 1880 FT	-1.46%	
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		OFZ	Remarks
8	9	10	11	12	13	14	
NIL	NIL	685 x 60	NIL	NIL	NIL	NIL	NIL
NIL	NIL	685 x 60	NIL	NIL	NIL	NIL	NIL

LRCR AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
17	625	625	625	625	NIL
35	625	625	625	625	NIL

LRCR AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type	THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks	
	1	2	3	4	5	6	7	8	9	10
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRCR AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL



LRCR AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	NIL
2	<i>Vertical limits</i>	NIL
3	<i>Airspace classification</i>	NIL
4	<i>ATS unit call sign Language(s)</i>	NIL
5	<i>Transition altitude</i>	NIL
6	<i>Hours of applicability</i>	NIL
7	<i>Remarks</i>	Aerodrome located within Braşov CTR (see LRBV AD 2.17 ATS AIRSPACE)

LRCR AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel/ Frequency</i>	<i>SATVOICE</i>	<i>Logon address</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR Type of supported OPS ILS classification GBAS classification (For VOR/ILS/MLS give declination)</i>	<i>ID</i>	<i>Frequency / Channel</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna / ELEV of GBAS reference point</i>	<i>Service volume radius from the GBAS reference point</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRCR AD 2.20 LOCAL AERODROME REGULATIONS

AD without TWY. Direct access from APRON to RWY via grass strip.

AD fără TWY. Acces direct de la APRON către RWY folosind banda înierbată a pistei.

LRCR AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRCR AD 2.22 FLIGHT PROCEDURES

- NIL -

LRCR AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRCR AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO AD 2.35-20
Visual Operations Chart - RWY 17/35 Aerodrome Traffic Circuit AD 2.35-40

LRCR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Not applicable

AERODROME CHART - ICAO


45°40'51" N
025°44'42" E
ELEV 1880 FT

BRAȘOV / Corona (LRCR)


OPC 131.490

RWY	DIRECTION	THR	BEARING STRENGTH
17	171°	45°41'01"N 025°44'41"E	5700 KG GRASS
35	351°	45°40'41"N 025°44'43"E	
HELIPORT			


ELEVATIONS IN FEET
DIMENSIONS IN METRES
BEARINGS ARE MAGNETIC



APRON	CONCRETE 5700 KG
-------	---------------------



Changes: New chart.



LEGEND	
	ARP
	WIND DIRECTION INDICATOR (WDI)
	RWY (GRASS)
	BUILDINGS
	PLATFORM (CONCRETE)

VISUAL OPERATIONS CHART

AD ELEV 1880 FT

BRAȘOV / Corona (LRCR)

OPC 131.490

RWY 17/35

Aerodrome Traffic Circuit

